

Bibliography

- Armstrong, T., R. Harding, G. Knorr, and D. Montgomery (1970). Solution of Vlasov's equation by transform methods. In *Methods in Computational Physics*. New York: Academic Press.
- Armstrong, T. P. (1967). Numerical studies of the nonlinear Vlasov equation. *Phys. Fluids* **10**, 1269.
- Baker, G. A. (1975). *Essentials of Padé Approximants*. London: Academic Press.
- Baker, G. A. and P. Graves-Morris (1996). *Padé Approximants*. Cambridge: Cambridge University Press.
- Basdevant, C. and R. Sadourny (1983). Modélisation des Échelles virtuelles dans la simulation numérique des Écoulements turbulents bidimensionnels. *Journal de Mécanique théorique et Appliquée Numéro Spécial*, 243.
- Batchelor, G. K. (1969). Computation of the energy spectrum in homogeneous two-dimensional turbulence. *Phys. Fluids Suppl.* **II**, 233.
- Beer, M. A. (1995). *Gyrofluid Models of Turbulent Transport in Tokamaks*. Ph. D. thesis, Princeton University.
- Beer, M. A., S. C. Cowley, and G. W. Hammett (1995). Field-aligned coordinates for nonlinear simulations of tokamak turbulence. *Phys. Plasmas* **2**, 2687.
- Beer, M. A. and G. W. Hammett (1996). Toroidal gyrofluid equations for simulations of tokamak turbulence. *Phys. Plasmas* **3**, 4046.
- Beer, M. A., G. W. Hammett, W. D. Dorland, and S. C. Cowley (1992). Nonlinear ballooning gyrofluid simulations of toroidal ITG turbulence. *Bull. Am. Phys. Soc.* **37**, 1478.
- Bender, C. M. and S. A. Orszag (1978). *Advanced Mathematical Methods for Scientists and Engineers*. McGraw-Hill Publishing Co.
- Borue, V. (1993). Spectral exponents of enstrophy cascade in stationary two-dimensional homogeneous turbulence. *Phys. Rev. Lett.* **71**, 3967.
- Borue, V. and S. A. Orszag (1995). Self-similar decay of three-dimensional homogeneous turbulence with hyperviscosity. *Phys. Rev. E* **51**, R856.

- Bowman, J. C. and J. A. Krommes (1997). The realizable Markovian closure and realizable test-field model. II. Application to anisotropic drift-wave dynamics. (in press).
- Braginskii, S. I. (1965). Transport processes in a plasma. In M. A. Leontovich (Ed.), *Reviews of Plasma Physics*, Volume 1, pp. 205–311. New York: Consultants Bureau.
- Brook, D. L. (1987). NRL plasma formulary. Naval Research Laboratory Publication 0084-4040.
- Carrier, G. F., M. Krook, and C. E. Pearson (1983). *Functions of a Complex Variable: Theory and Technique*. Ithaca, New York: Hod Books.
- Chang, Z. and J. D. Callen (1992). Unified fluid/kinetic description of plasma microinstabilities. part I: Basic equations in a sheared slab geometry. *Phys. Fluids B* **5**, 1167.
- Chekhlov, A. (1995). *Studies of Forced-Dissipative Turbulence in Model Hydrodynamics*. Ph. D. thesis, Princeton University.
- Chekhlov, A., S. Orszag, S. Sukoriansky, B. Galperin, and I. Staroselsky (1994). Direct numerical simulation tests of eddy viscosity in two dimensions. *Phys. Fluids* **6**, 2548.
- Conway, J. B. (1990). *A Course in Functional Analysis*. New York: Springer-Verlag.
- Diamond, P. H. and H. Biglari (1990). Theory of dissipative trapped-ion convective-cell turbulence. *Phys. Rev. Lett.* **65**, 2865.
- Dimits, A. M., J. A. Byers, T. J. Williams, B. I. Cohen, X. Q. Xu, R. H. Cohen, J. A. Crotinger, and A. E. Shestakov (1994). Gyrokinetic and global fluid simulations of tokamak microturbulence and transport. In *Plasma Physics and Controlled Nuclear Fusion Research, 1994*, Volume 2, Vienna, pp. 457–462. International Atomic Energy Agency.
- Dimits, A. M., T. J. Williams, J. A. Byers, and B. I. Cohen (1996). Scalings of ion-temperature-gradient-driven anomalous transport in tokamaks. *Phys. Rev. Lett.* **77**, 71.
- Dorland, W. (1993). *Gyrofluid Models of Plasma Turbulence*. Ph. D. thesis, Princeton University.
- Dorland, W. and G. W. Hammett (1993). Gyrofluid turbulence models with kinetic effects. *Phys. Fluids B* **5**, 812.
- Dorland, W., M. Kotschenreuther, M. A. Beer, G. W. Hammett, R. E. Waltz, R. R. Dominguez, P. M. Valanju, W. H. M. Jr., J. Q. Dong, W. Horton, F. L. Waelbroeck, T. Tajima, and M. J. LeBrun (1994). Comparison of nonlinear toroidal turbulence simulations with experiment. In *1994 IAEA Conference (Seville, Spain)*.

- Dubin, D. H. E., J. A. Krommes, C. Oberman, and W. W. Lee (1983). Nonlinear gyrokinetic equation. *Phys. Fluids* **26**, 3524.
- Durst, R., R. Fonck, J. Kim, S. Paul, N. Bretz, C. Bush, Z. Chang, and R. Hulse (1993). Observation of a localized transition from edge to core density turbulence in the TFTR tokamak. *Phys. Rev. Lett.* **71**, 3135.
- Engelmann, F., M. Feix, E. Minardi, and J. Oxenius (1963). Nonlinear effects form Vlasov's equation. *Phys. Fluids* **6**, 266.
- Fried, B. D. and S. D. Conte (1961). *The Plasma Dispersion Function*. New York: Academic Press.
- Galperin, B. and S. A. Orszag (Eds.) (1993). *Large Eddy Simulation of Complex Engineering and Geophysical Flows*. Cambridge: Cambridge University Press.
- Gould, R. W., T. M. O'Neil, and J. H. Malmberg (1967). Plasma wave echo. *Phys. Rev. Lett.* **19**, 219.
- Gradshteyn, I. S. and I. M. Ryzhik (1980). *Table of Integrals, Series, and Products*. Academic Press, Inc.
- Grant, F. C. and M. R. Feix (1967). Fourier-Hermite solutions of the Vlasov equations in the linearized limit. *Phys. Fluids* **10**, 696.
- Hammett, G., W. Dorland, and F. Perkins (1992). Fluid models of phase mixing, Landau damping, and nonlinear gyrokinetic dynamics. *Phys. Fluids B* **4**, 2052.
- Hammett, G. and F. Perkins (1990). Fluid moment models for Landau damping with application to the ion temperature gradient instability. *Phys. Rev. Lett.* **64**, 3019.
- Hammett, G. W., M. A. Beer, W. Dorland, S. C. Cowley, and S. A. Smith (1993). Developments in the gyrofluid approach to tokamak turbulence simulations. *Plasma Phys. Controlled Fusion* **35**, 973.
- Hammett, G. W., W. Dorland, M. Beer, and F. W. Perkins (1994). The gyrofluid approach to simulating tokamak turbulence. In M. N. Rosenbluth (Ed.), *New Ideas in Tokamak Confinement*. New York: American Institute of Physics.
- Hasegawa, A. and K. Mima (1978). Pseudo-three-dimensional turbulence in magnetized nonuniform plasma. *Phys. Fluids* **21**, 87.
- Hedrick, C. L. and J.-N. Leboeuf (1992). Landau fluid equations for electromagnetic and electrostatic fluctuations. *Phys. Fluids B* **4**, 3915.
- Hu, G., J. A. Krommes, and J. C. Bowman (1997). Statistical theory of resistive drift-wave turbulence and transport. (in press).
- Knorr, G. (1973). Plasma simulation with few particles. *J. Comp. Phys.* **13**, 165.
- Kotschenreuther, M., W. Dorland, M. Beer, and G. Hammett (1995). Quantitative predictions of tokamak energy confinement from first-principles simulations with kinetic effects. *Phys. Plasmas* **2**(6), 2381.

- Kraichnan, R. H. (1961). Dynamics of nonlinear stochastic systems. *Journal of Mathematical Physics* **2**, 124.
- Kraichnan, R. H. (1967). Inertial ranges in two-dimensional turbulence. *Phys. Fluids* **10**, 1417.
- Kraichnan, R. H. (1968). Convergents to infinite series in turbulence theory. *Physical Review* **174**, 240.
- Kraichnan, R. H. (1970). Convergents to turbulence functions. *J. Fluid Mech.* **41**, 180.
- Kraichnan, R. H. (1971). An almost-Markovian Galilean-invariant turbulence model. *J. Fluid Mech.* **47**, 513.
- Kraichnan, R. H. (1976). Eddy viscosity in two and three dimensions. *Journal of the Atmospheric Sciences* **33**, 1521.
- Kraichnan, R. H. (1980). Realizability inequalities and closed moment equations. In R. H. G. Helleman (Ed.), *Nonlinear Dynamics*, pp. 37. New York: New York Academy of Sciences.
- Kraichnan, R. H. (1985). Decimated amplitude equations in turbulence dynamics. In D. L. Dwyer, M. Y. Hussaini, and R. G. Voigt (Eds.), *Theoretical Approaches to Turbulence*, pp. 91. New York: Springer Verlag.
- Kraichnan, R. H. (1987). Eddy viscosity and diffusivity: Exact formulas and approximations. *Complex Systems* **1**, 805.
- Krommes, J. A. and G. Hu (1994). The role of dissipation in the theory and simulations of homogeneous plasma turbulence, and resolution of the entropy paradox. *Phys. Plasmas* **1**, 3211.
- Kubo, R. (1963). Stochastic Liouville equations. *Journal of Mathematical Physics* **4**, 174.
- Lee, W. W. (1983). Gyrokinetic approach in particle simulation. *Phys. Fluids* **26**, 556.
- Lee, W. W. (1987). Gyrokinetic particle simulation model. *J. Comput. Phys.* **72**, 243.
- Leith, C. E. (1968). Diffusion approximation for two-dimensional turbulence. *Phys. Fluids* **11**, 671.
- Lenard, A. and I. B. Bernstein (1958). Plasma oscillations with diffusion in velocity space. *Phys. Rev.* **112**, 1456.
- Liang, Y.-M., P. Diamond, X.-H. Wang, D. Newman, and P. Terry (1993). A two-nonlinearity model of dissipative drift wave turbulence. *Phys. Fluids* **5**, 1128.
- Maltrud, M. E. and G. K. Vallis (1993). Energy and enstrophy transfer in numerical simulations of two-dimensional turbulence. *Phys. Fluids A* **5**, 1760.

- Mattor, N. (1992). Can Landau-fluid models describe nonlinear Landau damping? *Phys. Fluids B* **4**, 3952.
- O'Neil, T. M. and R. W. Gould (1968). Temporal and spatial plasma wave echoes. *Phys. Fluids* **11**, 134.
- Parker, S. E. and D. Carati (1995). Renormalized dissipation in plasmas with finite collisionality. *Phys. Rev. Lett.* **75**, 441.
- Parker, S. E., W. Dorland, R. A. Santoro, M. A. Beer, Q. P. Liu, W. W. Lee, and G. W. Hammett (1994). Comparisons of gyrofluid and gyrokinetic simulations. *Phys. Plasmas* **1**, 1461.
- Rose, H. A. (1977). Eddy diffusivity, eddy noise and subgrid-scale modelling. *J. Fluid Mech.* **81**, 719.
- Smagorinsky, J. (1963). General circulation experiments with the primitive equations. *Monthly Weather Review* **91**, 99.
- Smith, S. A. and G. W. Hammett (1997). Eddy viscosity and hyperviscosity in spectral simulations of 2D drift wave turbulence. *Phys. Plasmas* **4**, 978.
- Su, C. H. and C. Oberman (1968). Collisional damping of a plasma echo. *Phys. Rev. Lett.* **20**, 427.
- Terry, P. W. and W. Horton (1982). Stochasticity and the random phase approximation for three electron drift waves. *Phys. Fluids* **25**, 491.
- Wall, H. S. (1967). *Analytic Theory of Continued Fractions*. New York: Chelsea Publishing Co.
- Waltz, R. E., R. R. Dominguez, and G. W. Hammett (1992). Gyro-Landau fluid models for toroidal geometry. *Phys. Fluids B* **4**, 3138.
- Waltz, R. E., G. D. Kerbel, and J. Milovich (1994). Toroidal gyro-Landau fluid model turbulence simulations in a nonlinear ballooning mode representation with radial modes. *Phys. Plasmas* **1**, 2229.
- Weissglas, P. (1962). Longitudinal plasma oscillations. *Plasma Phys. (Journal of Nuclear Energy Part C)* **4**, 329.