

Program in Plasma Science and Technology

Publications by Year

1991

Cheah, C.W.; Cecchi, J.L.; Stevens, J.L., “Microwave interferometric measurements of process plasma density,” proceedings SPIE **1392**, Advanced Techniques for Integrated Circuit Processing (1 March 1991). DOI: <https://doi.org/10.1117/12.48941>.

Manos, D.M.; Cecchi, J.L.; **Cheah, C.W.**; Dylla, H.F., “Diagnostics of low temperature plasmas: the electron component,” Thin Solid Films **195**:1-2 (January 1991) 319-336. (Published online 6 September 2002.) DOI: [https://doi.org/10.1016/0040-6090\(91\)90283-4](https://doi.org/10.1016/0040-6090(91)90283-4).

Matutinovic-Krstelj, Z.; Prinz, E.J.; Schwartz, P.V.; Sturm, J.C., “Reduction of p⁺-n⁺ junction tunneling current for base current improvement in Si/SiGe/Si heterojunction bipolar transistors,” IEEE Electron Device Letters **12**:4 (April 1991) 163-165. (Published online April 1991.) DOI: <https://doi.org/10.1109/55.75751>.

Stevens, J.E.; Cecchi, J.L.; Huang, Y.C.; **Jarecki, R.L. (Jr.)**, “Optimized microwave coupling in an electron cyclotron resonance etch tool,” J. Vac. Sci. Technol. A **9**:3, 696 (May 1991). (Published online 4 June 1998.) DOI: <https://doi.org/10.1116/1.577346>.

1992

Stevens, J.E.; Huang, Y.C.; **Jarecki, R.L. (Jr.)**; Cecchi, J.L., “Plasma uniformity and power deposition in electron cyclotron resonance etch tools,” J. Vac. Sci. Technol. A **10**:4, 1270 (August 1992). (Published online 4 June 1998.) DOI: <http://dx.doi.org/10.1116/1.578238>.

1993

Bullock, J.N.; Rim, K.; Wagner, S., “Hydrogen content of a-Si:H and a-Si:H,F as a function of chemical annealing,” Symposium A – Amorphous Silicon Technology 1993, in MRS Online Proceedings Library (OPL) Archive **297**

(1993) 133-138. (Published online 1 January 1993.) DOI:
<https://doi.org/10.1557/PROC-297-133>.

Gleskova, H.; **Bullock, J.N.**; Wagner, S., “Isolating the rate of light-induced annealing of the dangling-bond defects in a Si:H,” *J. Non-Cryst. Solids* **164-166**:Pt1 (2 December 1993) 183-186. (Published online 28 April 2003.) DOI:
[https://doi.org/10.1016/0022-3093\(93\)90521-X](https://doi.org/10.1016/0022-3093(93)90521-X).

Gleskova, H.; Skryshevsky, V.A.; **Bullock, J.N.**; Wagner, S.; Stuchlik, J., “Properties of Au/SiO₂/a-Si:H solar cells with wet oxide,” *Mater. Lett.* **16**:6 (June 1993) 305-308. (Published online 23 April 2003.) DOI:
[https://doi.org/10.1016/0167-577X\(93\)90197-6](https://doi.org/10.1016/0167-577X(93)90197-6).

Matutinovic-Krstelj, Z.; Liu, C.W.; Xiao, X.; Sturm, J.C., “Evidence of phonon-absorption-assisted electron resonant tunneling in Si/Si_{1-x}Ge_x diodes,” *J.Vac. Sci. Techn. B* **11**:3 (May 1993) 1145-1148. (Published online 4 June 1998.) DOI: <https://doi.org/10.1116/1.586829>.

Matutinovic-Krstelj, Z.; Liu, C.W.; Xiao, X.; Sturm, J.C., “Symmetric Si/Si_{1-x}Ge_x electron resonant tunneling diodes with an anomalous temperature behavior,” *Appl. Phys. Lett.* **62**:6 (8 February 1993) 603-605. (Published online 4 June 1998.) DOI: <https://doi.org/10.1063/1.108869>.

Matutinovic-Krstelj, Z.; Venkataraman, V.; Prinz, E.J.; Sturm, J.C.; Magee, C.W., “A comprehensive study of lateral and vertical current transport in Si/Si_{1-x}Ge_xSi HBT’s” proceedings IEEE International Electron Devices Meeting (5-8 December 1993, Washington, D.C.) 87-90. Technical Digest (Cat. No.93CH3361-3). (Published online 6 August 2002.) DOI:
<https://doi.org/10.1109/IEDM.1993.347392>.

Sturm, J.C.; Xiao, X.; Mi, Q.; Liu, C.W.; St Amour, A.; **Matutinovic-Krstelj, Z.**; Lenchyshyn, L.C.; Thewal, M.L.W., “Photoluminescence and electroluminescence processes in Si_{1-x}Ge_x/Si heterostructures grown by chemical vapor deposition,” *Mate. Sci. Eng. B* **21**:2-3 (20 November 1993) 307-311. (Published online 26 February 2003.) DOI: [https://doi.org/10.1016/0921-5107\(93\)90374-V](https://doi.org/10.1016/0921-5107(93)90374-V).

1994

Bannister, M.E. and Cecchi, J.L., “Metastable argon beam source using a surface wave sustained plasma,” *J. Vac. Sci. Technol. A* **12**:1, 106 (January 1994). (Published online 4 June 1998.) DOI: <https://doi.org/10.1116/1.578903>.

Bullock, J.N. and Wagner, S., “Amorphous silicon films from dichlorosilane and hydrogen,” Symposium A - Amorphous Silicon Technology 1994, in MRS Online Proceedings Library (OPL) Archive **336** (1994) 97-102. (Published online 16 February 2011.) DOI: <https://doi.org/10.1557/PROC-336-97>.

Liliental-Weber, Z.; **Schwartz, P.V.**; Wu, C.; Sturm, J.C., “Structure of oxygen-doped silicon grown by chemical-vapor deposition at low temperature,” J. Vac. Sci. Techn. B **12**:4 (July 1994) 2511-2515. (Published online 4 June 1998.) DOI: <https://doi.org/10.1116/1.587793>.

Lonngren, K.E.; **Schwartz, P.V.**; Bai, E.-W.; Theisen, W.C.; Merlino, R.L.; Carpenter, R.T., “Extracting double layer charge density distributions using the method of moments,” IEEE Trans. Plasma Sci. **22**:3 (June 1994) 278-280. (Published online June 1994.) DOI: <https://doi.org/10.1109/27.297880>.

Schwartz, P.V. and Sturm, J.C., “Oxygen incorporation during low temperature chemical vapor deposition growth of epitaxial silicon films,” J. Electrochem. Soc. **141**:5 (May 1994) 1284-1290.

Vasanth, K.; Caputo, D.; Wagner, S.; Bennett, M.; Bae, S.; Fonash, S., “Adjusting the defect profile in a-Si: H solar cells with energy resolved electron or laser beams: Experiment and modeling,” Symposium A – Amorphous Silicon Technology 1994, in MRS Online Proceedings Library (OPL) Archive **336** (1994) 693. (Published online 16 February 2011.) DOI: <https://doi.org/10.1557/PROC-336-693>.

Vasanth, K.; Wagner, S.; Caputo, D.; Bennett, M., “The role of interfaces in the end-of-life performance of a-Si:H solar cells,” proceedings 1994 IEEE 1st World on Photovoltaic Energy Conversion - WCPEC (A Joint Conference of PVSC, PVSEC and PSEC) Vol. 1 (5-9 December 1994) 488-491 (IEEE Cat. No. 94CH3365-4). (Published online 6 August 2002.) DOI: <https://doi.org/10.1109/WCPEC.1994.520004>.

Wagner, S.; **Vasanth, K.**; Nakata, M.; Yang, J.; Guha, S., “Measuring and modelling of a-Si,Ge:H solar cells,” Sol. Energy Mater. Sol. Cells **34**:1-4 (1 September 1994) 373-377. (Published online 7 March 2003.) DOI: [https://doi.org/10.1016/0927-0248\(94\)90062-0](https://doi.org/10.1016/0927-0248(94)90062-0).

1995

Caputo, D.; Maggi, M.; Masini, G.; Palma, F.; **Vasanth, K.**; Wagner, S., “Time dependence of spatial defect profiles in a-Si:H solar cells with light-soaking,” Symposium A – Amorphous Silicon Technology 1995, in MRS Online Proceedings Library (OPL) Archive **377** (1995) 669. (Published online 15 February 2011.) DOI: <https://doi.org/10.1557/PROC-377-669>.

Matutinovic-Krstelj, Z.; Chason, E.; Sturm, J.C., “Growth pressure effects on Si/Si_{1-x}Ge_x chemical vapor deposition,” *J. Electron. Mater.* **24**:6 (June 1995) 725-730. DOI: <https://doi.org/10.1007/BF02659731>.

Vasanth, K.; Payne, A.; Crone, B.; Sherman, S.; Jakubowski, M.; Wagner, S., “Design and growth of band-gap graded a-SiGe:H solar cells,” Symposium A – Amorphous Silicon Technology 1995, in MRS Online Proceedings Library (OPL) Archive **377** (1995) 663. (Published online 15 February 2011.) DOI: <https://doi.org/10.1557/PROC-377-663>.

Xu, X.; Banerjee, A.; Yang, J.; Guha, S.; **Vasanth, K.**; Wagner, S., “Band discontinuity effect on a-Si:H and a-SiGe:H solar cells,” Symposium A – Amorphous Silicon Technology 1995, in MRS Online Proceedings Library (OPL) Archive **377** (1995) 651. (Published online 15 February 2011.) DOI: <https://doi.org/10.1557/PROC-377-651>.

Xu, X.; Yang, J.; Banerjee, A.; Guha, S.; **Vasanth, K.**; Wagner, S., “Band edge discontinuities between microcrystalline and amorphous hydrogenated silicon alloys and their effect on solar cell performance,” *Appl. Phys. Lett.* **67**:16, 2323 (16 October 1995). (Published online 5 August 1998.) DOI: <http://doi.org/10.1063/1.114332>.

1996

Gleskova, H.; **Ma, E.Y.**; Wagner, S.; Shen, D.S., “a-Si:H TFT fabricated by electrophotographic printing,” Symposium H – Flat Panel Display Materials II 1996, in MRS Online Proceedings Library (OPL) Archive **424** (1996) 71. (Published online 10 February 2011.) DOI: <https://doi.org/10.1557/PROC-424-71>.

Gleskova, H.; **Ma, E.Y.**; Wagner, S.; Shen, D.S., “Flexible glass substrates with via holes for TFT backplanes,” 1996 International Workshop on Active-Matrix Liquid-Crystal Displays in conjunction with International Display Workshop, in Digest of technical papers, the Japan Society of Physics, Kobe,

Japan, pages 105-108. (Paper:
<https://strathprints.strath.ac.uk/id/eprint/33498>.)

Ho, T.-S.; **Hollebeek, T.**; Rabitz, H.; Harding, L.B.; Schatz, G.C., “A global H₂O potential energy surface for the reaction of O(¹D) + H₂ → OH + H,” J. Chem. Phys. **105**:23, 10472 (15 December 1996). (Published online 4 June 1998.) DOI: <https://doi.org/10.1063/1.472977>.

Korobkin, D.V.; Nam, C.H.; Suckewer, S.; Goltsov, A., “Demonstration of soft x-ray lasing to ground state in Li III,” Phys. Rev. Lett. **77**:26 (23 December 1996) 5206. DOI: <https://doi.org/10.1103/PhysRevLett.77.5206>.

Lanzerotti, L.D.; St. Amour, A.; Liu, C.W.; Sturm, J.C.; Watanabe, J.K.; Theodore, N.D., “Si/Si_{1-x-y}Ge_xC_y/Si heterojunction bipolar transistors,” IEEE Elec. Dev. Lett. EDL-**17**:7 (July 1996) 334-337. (Published online July 1996.) DOI: <http://doi.org/10.1109/55.506359>.

Matutinovic-Krstelj, Z.; Venkataraman, V.; Prinz, E.J.; Sturm, J.C.; Magee, C.W., “Base resistance and effective bandgap reduction in n-p-n Si/Si_{1-x}Ge_x/Si HBTs with heavy base doping,” IEEE Trans. Electron Devices **43**:3 (March 1996) 457-466. (Published online March 1996.) DOI: <https://doi.org/10.1109/16.485661>.

Pangal, K.; Firebaugh, S.L.; Sturm, J.C., “Micro-electro-mechanical charge sensing devices,” proceedings 1996 54th Annual Device Research Conference Digest (26 June 1996) 118-119. (Published online 6 August 2002.) DOI: <https://doi.org/10.1109/DRC.1996.546338>.

Pangal, K.; Firebaugh, S.L.; Sturm, J.C., “Noninvasive measurement of charging in plasmas using microelectromechanical charge sensing devices,” Appl. Phys. Lett. **69**:10, 1471 (2 September 1996). (Published online 5 August 1998.) DOI: <http://doi.org/10.1063/1.116911>.

1997

Cubbin, E.A.; Ziemer, J.K.; Choueiri, E.Y.; Jahn, R.G., “Pulsed thrust measurements using laser interferometry,” Rev. Sci. Instr. **68**:6, 2339 (6 June 1997). (Published online 9 September 1998.) DOI: <http://doi.org/10.1063/1.1148116>.

Goltsov, A.Yu.; **Korobkin, D.**; Nam, C.H.; Suckewer, S., “Compact lasing system at 13.5-nm to ground state of LiIII at 2Hz,” proceedings SPIE **3156**, Soft X-Ray Lasers and Applications II (1 November 1997) 204-213. DOI: <https://doi.org/10.1117/12.293380>.

Hollebeek, T.; Ho, T.-S.; Rabitz, H., “A fast algorithm for evaluating multi-dimensional potential energy surfaces,” J. Chem. Phys. **106**:17, 7223 (1 May 1997). (Published online 4 June 1998.) DOI: <https://doi.org/10.1063/1.473683>.

Lanzerotti, L.D.; Sturm, J.C.; Stach, E.; Hull, R.; Buyuklimanli, T.; Magee, C., “Suppression of boron transient enhanced diffusion in SiGe heterojunction bipolar transistors by carbon incorporation,” Appl. Phys. Lett. **70**:23, 3125 (9 June 1997). (Published online 5 August 1998.) DOI: <http://doi.org/10.1063/1.119110>.

Ma, E.Y.; Theiss, S.D.; Lu, M.H.; Wu, C.C.; Sturm, J.C.; Wagner, S. “Organic light-emitting diode/thin film transistor integration for foldable displays,” Conference Record of the 1997 International Display Research Conference and International Workshops on LCD Technology and Emissive Technology (1997) L78-L81.

Ma, E.Y.; Theiss, S.D.; Lu, M.H.; Wu, C.C.; Sturm, J.C.; Wagner, S., “Thin film transistors for foldable displays,” proceedings 1997 International Electron Devices Meeting. IEDM Technical Digest (10 December 1997) 535-538. (IEEE Cat. No. 97CH36103). (Published online 6 August 2002.) DOI: <https://doi.org/10.1109/IEDM.1997.650441>.

Morozov, A.; **Ping, Y.**; Suckewer, S.; Bartnik, A.; Fiedorowicz, H., “Soft X-ray radiation from plasma and microcapillary waveguides,” proceedings SPIE **3156**, Soft X-Ray Lasers and Applications II (1 November 1997) 214-223. DOI: <https://doi.org/10.1117/12.293381>.

Pangal, K. and Sturm, J.C., “Correlation of plasma-induced charging voltage measured in-situ by microelectromechanical sensors with device degradation,” 2nd International Symposium on Plasma Process-Induced Damage (13-14 May 1997) (IEEE Cat. No.97TH8265) 203-206. (Published online 6 August 2002.) DOI: <https://doi.org/10.1109/PPID.1997.596745>.

Park, J.; Bennett, T.K.; Goeckner, M.J.; Cohen, S.A., “Plasma-neutral interaction in thermally collapsed plasma,” J. Nucl. Mater. **241-243** (11 February

1997) 489-493. (Publish online 1 February 2003.) DOI:
[https://doi.org/10.1016/S0022-3115\(97\)80086-4](https://doi.org/10.1016/S0022-3115(97)80086-4).

St. Amour, A.; **Lanzerotti, L.D.**; Chang, C.C.; Sturm, J.C., “Optical and electrical properties of $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ thin films and devices,” *Thin Solid Films* **294**:1-2 (15 February 1997) 112-117. (Published online 12 December 2000.) DOI: [https://doi.org/10.1016/S0040-6090\(96\)09212-7](https://doi.org/10.1016/S0040-6090(96)09212-7).

Schatz, G.C.; Papaioannou, A.; Pederson, L.A.; Harding, L.R.; **Hollebeek, T.**; Ho, T.-S.; Rabitz, H., “A global A-state potential surface for H_2O : Influence of excited states on the $\text{O}(^1\text{D}) + \text{H}_2$ reaction,” *J. Chem. Phys.* **107**:7, 2340 (15 August 1997). (Published online 31 August 1998.) DOI: <https://doi.org/10.1063/1.474614>.

1998

Korobkin, D.; Goltsov, A.; Morozov, A.; Suckewer, S., “Soft x-ray amplification at 26.2 nm with 1-Hz repetition rate in a table-top system,” *Phys. Rev. Lett.* **81**:8 (24 August 1998) 1607-1610. DOI: <https://doi.org/10.1103/PhysRevLett.81.1607>.

Lu, M.; **Ma, E.**; Sturm, J.C.; Wagner, S., “Amorphous silicon TFT active-matrix OLED pixel,” Conference proceedings. LEOS'98. 11th Annual Meeting. IEEE Laser and Electro-Optics Society 1998 (IEEE Cat. No. 98CH36243), Vol. 1 (1-4 December 1998) 130-131. (Published online 6 August 2002.) DOI: <https://doi.org/10.1109/LEOS.1998.737767>.

Ma, E.Y. and Wagner, S., “a-Si:H thin film transistors on rollable 25- μm thick steel foil,” Symposium A – Amorphous & Microcrystalline Silicon Technology 1998, in MRS Online Proceedings Library (OPL), Vol. **507** (1998) 13. (Published online 10 February 2011.) DOI: <https://doi.org/10.1557/PROC-507-13>.

Ma, E. and Wagner, S., “Damascene-gate thin film transistors,” proceedings 56th Annual Device Research Conference Digest (22-24 June 1998, IEEE Cat. No. 98TH8373) 128-129. (Published online 6 August 2002.) DOI: <https://doi.org/10.1109/DRC.1998.731151>.

Ma, E.Y. and Wagner, S., “Damascene-gate thin film transistors with ultra-thin gate dielectrics,” Conference proceedings. LEOS'98. 11th Annual Meeting. IEEE Laser and Electro-Optics Society 1998 (IEEE Cat. No.

98CH36243), Vol. 1 (1-4 December 1998) 132-133. (Published online 6 August 2002.) DOI: <https://doi.org/10.1109/LEOS.1998.737768>.

Montés, L.; Tsybeskov, L.; Fauchet, P.M.; **Pangal, K.**; Sturm, J.C., “Optical analysis of plasma enhanced crystallization of amorphous silicon films,” Symposium F – Microcrystalline & Nanocrystalline 1998, in MRS Online Proceedings Library (OPL) Archive **536** (1998) 505-510. (Published online 9 August 2011.) DOI: <https://doi.org/10.1557/PROC-536-505>.

Pangal, K.; Sturm, J.C.; Wagner, S., “Effect of plasma treatment on crystallization behavior of amorphous silicon films,” Symposium A – Amorphous & Microcrystalline Silicon Technology 1998, in MRS Online Proceedings Library (OPL) Archive **507** (1998) 557-582. (Published online 10 February 2011.) DOI: <https://doi.org/10.1557/PROC-507-577>.

Pangal, K.; Sturm, J.C.; Wagner, S., “Hydrogen plasma-enhanced crystallization of amorphous silicon for low-temperature polycrystalline silicon TFT’s,” proceedings 1998 International Electron Devices Meeting. Technical Digest (IEEE Cat. No. 98CH36217) 261-264. (Published online 6 August 2002.) DOI: <https://doi.org/10.1109/IEDM.1998.746350>.

1999

Alagia, M.; Balucani, N.; Cartechini, L.; Casavecchia, P.; Volpi, G.G.; Pederson, L.A.; Schatz, G.C.; Lendvay, G.; Harding, L.B.; **Hollebeek, T.**; Ho, T.-S.; Rabitz, H., “Exploring the reaction dynamics of nitrogen atoms: A combined crossed beam and theoretical study of $N(^2D) + D_2 \rightarrow ND + D$,” J. Chem. Phys. **110**:18, 8857 (8 May 1999). (Published online 29 April 1999.) DOI: <https://doi.org/10.1063/1.478806>.

Callegari, C.; **Conjusteau, A.**; Reinhard, I.; Lehmann, K.K.; Scoles, G.; Dalfovo, F., “Superfluid hydrodynamic model for the enhanced moments of inertia of molecules in liquid ^4He ,” Phys. Rev. Lett. **83**:24 (13 December 1999) 5058-5061. (Published online 13 December 1999.) DOI: <https://doi.org/10.1103/PhysRevLett.83.5058>.

Chen, Y.; **Pangal, K.**; Sturm, J.C.; Wagner, S., “P-channel thin film transistor of microcrystalline silicon directly deposited at 320 °C,” proceedings 57th Annual Device Research Conference Digest (23 June 1999, IEEE Cat. No. 99TH8393) 168-169. (Published online 6 August 2002.) DOI: <https://doi.org/10.1109/DRC.1999.806359>.

Goltsov, A.; **Korobkin, D.**; Morozov, A.; Suckewer, S., “Very compact soft x-ray lasers and their potential applications,” *Plasma Phys. Contr. Fusion* **41:3A** (March 1999) A595. DOI: <https://doi.org/10.1088/0741-3335/41/3A/053>.

Hollebeek, T.; Ho, T.-S.; Rabitz, H., “Constructing Multidimensional Molecular Potential Energy Surfaces from Ab Initio Data,” *Annu. Rev. Phys. Chem.* **50:1** (October 1999) 537-570. DOI: <https://doi.org/10.1146/annurev.physchem.50.1.537>.

Ma, E. and Wagner, S., “a-Si TFTs on thin steel foil substrates: how thin can we go?” Symposium B – Flat-Panel Displays and Sensors – Principles, Materials and Processes 1999, in MRS Online Proceedings Library (OPL) Archive **558** (1999) 381-386. (Published online 10 February 2011.) DOI: <https://doi.org/10.1557/PROC-558-381>.

Ma, E. and Wagner, S., “High-performance damascene-gate thin film transistors,” Symposium A – Amorphous and Heterogeneous Silicon Thin Films: Fundamentals to Devices” in Material Research Society Online Proceedings Library (OPL), Vol. **557** (1999) 695-700. (Published online 15 February 2011.) DOI: <https://doi.org/10.1557/PROC-557-695>.

Ma, E. and Wagner, S., “Thin gate dielectric TFTs using Damascene-gate structures,” proceedings Electrochemical Society PV Fourth Symposium on Thin Film Transistor Technologies IV, vol. **98-22** (1999) 149-162, edited by Yue Kuo.

Ma, E.Y. and Wagner, S., “Amorphous silicon transistors on ultrathin steel foil substrates,” *Appl. Phys. Lett.* **74:18**, 2661 (3 May 1999). (Published online 27 April 1999.) DOI: <http://doi.org/10.1063/1.123930>.

Ma, E.Y. and Wagner, S., “Amorphous silicon transistors on ultrathin steel foil substrates,” proceedings Electrochemical Society PV Fourth Symposium on Thin Film Transistor Technologies IV, vol. **98-22** (1999) 360-368. Edited by Yue Kuo.

Pangal, K.; Chen Y.; Sturm, J.C. Wagner S., “Integrated amorphous and polycrystalline silicon TFTs with a single silicon layer,” Symposium A – Amorphous & Heterogeneous Silicon Thin Films: Fundamentals to Devices 1999, in MRS Online Proceedings Library (OPL) Archive **557** (1999) 629.

(Published online 15 February 2011.) DOI: <https://doi.org/10.1557/PROC-557-629>.

Pangal, K.; Sturm, J.C.; Wagner, S., “Integration of amorphous and polycrystalline silicon thin-film transistors through selective crystallization of amorphous silicon,” *Appl. Phys. Lett.* **75**:14 (4 October 1999) 2091-2093. (Published online 30 September 1999.) DOI: <http://doi.org/10.1063/1.124926>.

Pangal, K.; Sturm, J.C.; Wagner, S.; Büyüklımanlı, T.H., “Hydrogen plasma enhanced crystallization of hydrogenated amorphous silicon films,” *J. Appl. Phys.* **85**:3 (1 February 1999) 1900-1906. (Published online 15 January 1999.) DOI: <http://doi.org/10.1063/1.369182>.

Pederson, L.A.; Schatz, G.C.; Ho, T.-S.; **Hollebeek, T.**; Rabitz, H.; Harding, L.B.; Lendvay, G., “Potential energy surface and quasiclassical trajectory studies of the $N(^2D) + H_2$ reaction,” *J. Chem. Phys.* **110**:18 (8 May 1999) 9091-9100. (Published online 29 April 1999.) DOI: <https://doi.org/10.1063/1.478830>.

Pederson, L.A.; Schatz, G.C.; **Hollebeek, T.**; Ho, T.-S.; Rabitz, H.; Harding, L.B., “Potential Energy Surface of the \tilde{A} State of NH_2 and the Role of Excited States in the $N(^2D) + H_2$ Reaction,” *J. Phys. Chem. A* **104**:11 (23 March 2000) 2301-2307. (Published online 19 November 1999.) DOI: <https://doi.org/10.1021/jp9924575>.

Suo, Z.; **Ma, E.Y.**; Gleskova, H.; Wagner, S., “Mechanics of rollable and foldable film-on-foil electronics,” *Appl. Phys. Lett.* **74**:8 (22 February 1999) 1177-1179. (Published online 18 February 1999.) DOI: <http://doi.org/10.1063/1.123478>.

Wagner, S.; Gleskova, H.; **Ma, E.Y.**; Zhigang Suo, “Compliant substrates for thin-film transistor backplanes,” proceedings SPIE **3636**, Flat Panel Display Technology and Display Metrology (12 April 1999) 32-39. DOI: <http://doi.org/10.1117/12.344653>.

Wang, Z. and Cohen, S.A., “Geometrical aspects of a hollow-cathode planar magnetron,” *Phys. Plasmas* **6**:5 (May 1999) 1655-1666. (Published online 26 April 1999.) DOI: <http://doi.org/10.1063/1.873421>.

Wang, Z. and Cohen, S.A., “Hollow Cathode Magnetron,” *J. Vac. Sci. Technol. A* **17**:1 (January 1999) 77-83. (Published online 5 January 1999.) DOI: <https://doi.org/10.1116/1.581553>.

Wu, M.; Pangal, K.; Sturm, J.C.; Wagner, S., “High electron mobility polycrystalline silicon thin-film transistors on steel foil substrates,” *Appl. Phys. Lett.* **75**:15 (11 October 1999) 2244-2246. (Published online 5 October 1999.) DOI: <http://doi.org/10.1063/1.124978>.

Wu, M.; **Pangal, K.**; Sturm, J.C.; Wagner, S., “High temperature polycrystalline silicon thin film transistor on steel substrates,” proceedings 1999 International Electron Devices Meeting (5-8 December 1999). Technical Digest (IEEE Cat. No. 99CH36318) 119-122. (Published online 6 August 2002.) DOI: <https://doi.org/10.1109/IEDM.1999.823860>.

2000

Callegari, C.; **Conjusteau, A.**; Reinhard, I.; Lehmann, K.K.; Scoles, G., “First overtone helium nanodroplet isolation spectroscopy of molecules bearing the acetylenic CH chromophore,” *J. Chem. Phys.* **113**:23 (15 December 2000) 10535-10550. (Published online 30 November 2000.) DOI: <https://doi.org/10.1063/1.1324003>.

Chen, Y.; **Pangal, K.**; Sturm, J.C.; Wagner, S., “p Channel thin film transistor and complementary metal-oxide-silicon inverter made of microcrystalline silicon directly deposited at 320 °C,” *J. Non-Cryst. Solids* **266-269**:Pt 2 (1 May 2000) 1274-1278. (Published online 26 July 2000.) DOI: [https://doi.org/10.1016/S0022-3093\(99\)00799-1](https://doi.org/10.1016/S0022-3093(99)00799-1).

Conjusteau, A.; Callegari, C.; Reinhard, I.; Lehmann, K.K.; Scoles, G., “Microwave spectra of HCN and DCN in ⁴He nanodroplets: a test of adiabatic following,” *J. Chem. Phys.* **113**:12 (22 September 2000) 4840-4843. (Published online 8 September 2000.) DOI: <https://doi.org/10.1063/1.1310603>.

Geremia, J.M.; Zhu, W.; Rabitz, H., “Incorporating physical implementation concerns into closed loop quantum control experiments,” *J. Chem. Phys.* **113**:24, 10841 (22 December 2000). (Published online 13 December 2000.) DOI: <https://doi.org/10.1063/1.1326905>.

Goltsov, A.Yu.; **Korobkin, D.V.**; Ping, Y.; Suckewer, S., “Transmission of laser radiation through microcapillary plasmas,” *J. Opt. Soc. Am. B* **17**:5 (May 2000) 868-876. DOI: <https://doi.org/10.1364/JOSAB.17.000868>.

Higgins, J.; **Hollebeek, T.**; Reho, J.; Ho, T.-S.; Lehmann, K.K.; Rabitz, H.; Scoles, G.; Gutowski, M., "On the importance of exchange effects on three-body interactions: The lowest quartet state of Na₃," *J. Chem. Phys.* **112**:13, 5751 (1 April 2000). (Published online 17 March 2000.) DOI: <https://doi.org/10.1063/1.481150>.

Pangal, K.; Sturm, J.C.; Wagner, S.; Yao, N., "Thin-film transistors in polycrystalline silicon by blanket and local source/drain hydrogen plasma-seeded crystallization," *IEEE Trans. Electron Dev.* TED-47:8 (August 2000) 1599-1607. (Published online August 2000.) DOI: <https://doi.org/10.1109/16.853037>.

Payne, A.M. and Wagner, S., "The effect of chlorine on dopant activation in hydrogenated amorphous silicon," *Appl. Phys. Lett.* **76**:20 (15 May 2000) 2949-2951. (Published online 10 May 2000.) DOI: <https://doi.org/10.1063/1.126526>.

Ping, Y.; Geltner, I.; Fisch, N.J.; Shvets, G.; Suckewer, S., "Demonstration of ultrashort laser pulse amplification in plasmas by a counterpropagating pumping beam," *Phys. Rev. E.* **62**:4 (October 2000) R4532-R4535. (Published online 1 October 2000.) DOI: <https://doi.org/10.1103/PhysRevE.62.R4532>.

Shtein, M.; Gossenberger, H.F.; Benziger, J.B.; Forrest S.R., "Material transport regimes and mechanisms for growth of molecular organic thin films using low-pressure organic vapor phase deposition," *J Appl. Phys.* **89**:2 (15 January 2001) 1470-1476. (Published online 29 December 2000.) DOI: <http://doi.org/10.1063/1.1332419>.

Srivastava, H.K.; **Conjusteau, A.**; Mabuchi, H.; Callegari, A.; Lehmann, K.K.; Scoles, G., "A sub-Doppler resolution double resonance molecular beam infrared spectrometer operating at chemically relevant energies (~2 eV), *Rev. Sci. Instru.* **71**:11 (November 2000) 4032-4038. (Published online 2 November 2000.) DOI: <https://doi.org/10.1063/1.1310343>.

Srivastava, H.K.; **Conjusteau, A.**; Mabuchi, H.; Callegari, A.; Lehmann, K.K.; Scoles, G.; Silva, M.L.; Field, R.W., "Rovibrational spectroscopy of the v=6 manifold in ¹²C₂H₂ and ¹³C₂H₂," *J. Chem. Physics* **113**:17 (1 November 2000) 7376-7383. (Published online 19 October 2000.) DOI: <https://doi.org/10.1063/1.1310605>.

Sturm, J.C.; **Hsu, P.I.**; Miller, S.M.; Gleskova, H.; Darhuber, A.; Huang, M.; Wagner, S.; Troian, S.; Suo, Z., "Three-dimensional electronic surfaces," *Sym-*

posium D – Nonlithographic and Lithographic Methods of Nanofabrication-From Ultralarge Scale 2000, in MRS Online Proceedings Library (OPL) Archive **636** (2000) D11.4.1. (Published online 17 March 2011.) DOI: <https://doi.org/10.1557/PROC-636-D11.4.1>.

Wang, Z.; Cohen, S.A.; Ruzic, D.N.; Goeckner, M.J., “Nitrogen Atom Energy Distributions in a Hollow-cathode Planar Sputtering Magnetron,” *Phys. Rev. E* **61**:2 (1 February 2000) 1904-1911. (Published online 1 February 2000.) DOI: <https://doi.org/10.1103/PhysRevE.61.1904>.

Wu, M.; Chen, Y.; Pangal, K.; Sturm, J.C.; Wagner, S., “High-performance polysilicon thin film transistors on steel substrates,” *J. Non-Cryst. Solids* **266-269**:Pt 2 (1 May 2000) 1284-1288. (Published online 26 July 2000.) DOI: [https://doi.org/10.1016/S0022-3093\(99\)00938-2](https://doi.org/10.1016/S0022-3093(99)00938-2).

Yamada, M.; Ji, H.; Hsu, S.; Carter, T.; Kulsrud, R.; **Trintchouk, F.**, “Experimental investigation of the neutral sheet profile during magnetic reconnection,” *Phys. Plasmas* **7**:5 (May 2000) 1781-1787. (Published online 19 April 2000.) DOI: <https://doi.org/10.1063/1.873999>.

2001

Biteen, J.S.; **Geremia, J.M.**; Rabitz, H., “Quantum optimal quantum control field design using logarithmic maps,” *Chem. Phys. Lett.* **348**:5-6 (16 November 2001) 440-446. (Published online 18 October 2001.) DOI: [https://doi.org/10.1016/S0009-2614\(01\)01144-7](https://doi.org/10.1016/S0009-2614(01)01144-7).

Carter, T.A.; Ji, H.; **Trintchouk, F.**; Yamada, M.; Kulsrud, R.M., “Measurement of lower-hybrid drift turbulence in a reconnecting current sheet,” *Phys. Rev. Lett.* **88**:1, 015001 (7 January 2002). (Published online 19 December 2001.) DOI: <https://doi.org/10.1103/PhysRevLett.88.015001>.

Choueiri E.Y. and **Ziemer, J.K.**, “Quasi-steady magnetoplasma dynamic thruster performance database,” *J. Propul. Power* **17**:5 (September 2001) 967-976. DOI: <https://doi.org/10.2514/2.5857>.

Geremia, J.M. and Rabitz, H., “Global, nonlinear algorithm for inverting quantum-mechanical observations,” *Phys. Rev. A* **64**:2, 022710 (August 2001). (Published online 9 July 2001.) DOI: <https://doi.org/10.1103/PhysRevA.64.022710>.

Geremia, J.M. and Rabitz, H., "The Ar-HCl potential energy surface from a global map-facilitated inversion of state-to-state rotationally resolved differential scattering cross sections and rovibrational spectral data," J. Chem. Phys. **115**:19 (15 November 2001) 8899-8912. (Published online 5 November 2001.) DOI: <https://doi.org/10.1063/1.1402997>.

Geremia, J.M.; Rabitz, H.; Rosenthal, C., "Constructing global functional maps between molecular potentials and quantum observables," J. Chem. Phys. **114**:21 (1 June 2001) 9325-9336. (Published online 21 May 2001.) DOI: <https://doi.org/10.1063/1.1370947>.

Geremia, J.M.; Weiss, E.; Rabitz, H., "Achieving the laboratory control of quantum dynamics phenomena using nonlinear functional maps," Chem. Phys. **267**:1-3 (1 June 2001) 209-222. (Published online 7 May 2001.) DOI: [https://doi.org/10.1016/S0301-0104\(01\)00214-2](https://doi.org/10.1016/S0301-0104(01)00214-2).

Goltsov, A.; Morozov, A.; Ping, Y.; **Geltner, I.**; Suckewer, S.; Feldman, U.; Jones, T.; Moore, C.; Seely, J.; Sprangle, P.; Ting, A.; Elton, R.; Krushelnik, K.; Zigler, A., "Lasing to ground state of ions in discharge created plasma in microcapillary," J. Phys. IV France **11**:2 (July 2001) Pr2-165 – RR1-173.

Hashimshony, D.; **Geltner, I.**; Cohen, G.; Avitzour, Y.; Zigler, A.; Smith, C., "Characterization of the electrical properties and thickness of thin epitaxial semiconductor layers by THz reflection spectroscopy," J. Appl. Phys. **90**:11 (1 December 2001) 5778-5781. (Published online 13 November 2001.) DOI: <https://doi.org/10.1063/1.1412574>.

Higgins, J.; Conjusteau, A.; Scoles, G.; Bernasek, S.L., "State selective vibrational ($2\nu_3$) activation of the chemisorption of methane on Pt (111)," J. Chem. Phys. **114**:12 (22 March 2001) 5277-5283. (Published online 12 March 2001.) DOI: <https://doi.org/10.1063/1.1349895>.

Hollebeek, T.; Ho, T.-S.; Rabitz H., "Efficient potential energy surfaces from partially filled *ab initio* data over arbitrarily shaped regions," J. Chem. Phys. **114**:9 (1 March 2001) 3940-3944. (Published online 20 February 2001.) DOI: <https://doi.org/10.1063/1.1344887>.

Hollebeek, T.; Ho, T.-S.; Rabitz, H.; Harding, L.B., "Construction of reproducing kernel Hilbert space potential energy surfaces for the $1A'$ and $1A''$ states of the reaction $N(^2D) + H_2$," J. Chem. Phys. **114**:9 (1 March 2001) 3945-

3948. (Published online 20 February 2001.) DOI:
<https://doi.org/10.1063/1.1346639>.

Hsu, P.I.; Gleskova, H.; Suo, Z.; Wagner, S.; Sturm, J.C., “Amorphous Si TFTs on plastically-deformed substrates with 3-D shapes,” proceedings 59th Device Research Conference (25-27 June 2001, Notre Dame, IN). Conference Digest (IEEE Cat. No. 01TH8561) 193-194. (Published online 7 August 2002.) DOI: <https://doi.org/10.1109/DRC.2001.937928>.

Levinton, F.M. and **Trintchouk, F.**, “Visualization of plasma turbulence with laser-induced fluorescence (invited)” Rev. Sci. Instr. **72**:1 (January 2001) 898-905. (Published online 3 January 2001.) DOI: <https://doi.org/10.1063/1.1321005>.

Ma, E.; Payne, A.; Nemchuk, N.; Domash, L., “Microlens arrays with integrated thin film power monitors,” proceedings 2001 51st Electronic Components and Technology Conference (29 May – 1 June 2001, Orlando, FL), IEEE Cat. No. 01CH37220) 876-879. (Published online 7 August 2002.) DOI: <https://doi.org/10.1109/ECTC.2001.927897>.

Pangal, K.; Sturm, J.C.; Wagner, S., “Integrated amorphous and polycrystalline silicon thin-film transistors in a single silicon layer on the same substrate,” IEEE Trans. Electron Dev. TED-**48**:4 (April 2001) 707-714. (Published online April 2001.) DOI: <https://doi.org/10.1109/16.915699>.

Ping, Y.; **Geltner, I.**; Suckewer, S., “Formation of periodic structures in a laser spark,” Phys. Plasmas **8**:9 (September 2001) 4174-4179. (Published online 24 August 2001.) DOI: <https://doi.org/10.1063/1.1386429>.

Sankaran, K.; Martinelli, L.; Jardin, S.C.; Choueiri, E.Y., “A flux-limited numerical method for solving the MHD Equations to simulate propulsive plasma flows, Int. J. Numer. Meth. Engng. **53**:6 (28 February 2002) 1415-1432. (Published online 7 December 2001.) DOI: <http://doi.org/10.1002/nme.343>.

Wagner, S.; **Wu, M.**; Min, B-G.R.; Cheng, I-C. “Polycrystalline silicon thin-film transistors,” Solid State Phenomena **80-81** (2001) 325-336. (Published online November 2001.) DOI: <https://doi.org/10.4028/www.scientific.net/SSP.80-81.325>.

Weinacht, T.C.; Bartels, R.; Backus, S.; Bucksbaum, P.H.; Pearson, B.; **Geremia, J.M.**; Rabitz, H.; Kapteyn, H.C.; Murnane, M.M., “Coherent learning control of vibrational motion in room temperature molecular gases,” *Chem. Phys. Lett.* **344**:3-4 (24 August 2001) 333-338. (Published online 27 August 2001.) DOI: [https://doi.org/10.1016/S0009-2614\(01\)00788-6](https://doi.org/10.1016/S0009-2614(01)00788-6).

Wu, M. and Wagner, S., “Thermal oxide of polycrystalline silicon on steel foil as a thin-film transistor gate dielectric, *Appl. Phys. Lett.* **78**:23 (4 June 2001) 3729-3731. (Published online 30 May 2001.) DOI: <https://doi.org/10.1063/1.1377319>.

Ziemer, J.K. and Choueir E.Y., “Scaling laws for electromagnetic pulsed plasma thrusters,” *Plasma Sources Sci. Technol.* **10**:3 (August 2001) 395-405. (Published online 5 June 2001.) DOI: <https://doi.org/10.1088/0963-0252/10/3/302>.

2002

Avitzour, Y.; Brunner, S.; Valeo, E.; Suckewer, S., “Theoretical modeling of recombination gain in LiIII transition to ground state,” *AIP Conference Proceedings* **641**:1, 193 (18 November 2002). (Published online 30 October 2002.) DOI: <https://doi.org/10.1063/1.1521018>.

Avitzour, Y.; Geltner, I.; Morozov, A.; Ping, Y.; Suckewer, S., “Experimental and theoretical simulations for conditions for lasing at 13.5 nm in LiIII,” *AIP Conference Proceedings* **641**:1, 212 (18 November 2002). (Published online 30 October 2002.) DOI: <https://doi.org/10.1063/1.1521021>.

Carter, T.A.; Yamada, M.; Ji, H.; Kulsrud, R.M.; **Trintchouk, F.**, “Experimental study of lower-hybrid drift turbulence in a reconnecting current sheet,” *Phys. Plasmas* **9**:8 (August 2002) 3272-3288. (Published online 22 July 2002.) DOI: <https://doi.org/10.1063/1.1494433>.

Geltner, I.; **Avitzour, Y.**; Suckewer, S., “Picosecond pulse frequency upshifting by rapid free-carrier creation in ZnSe,” *Appl. Phys. Lett.* **81**:2, 226 (8 July 2002). (Published online 27 June 2002.) DOI: <https://doi.org/10.1063/1.1491290>.

Geltner, I.; Ping, Y.; Morozov, A.; Suckewer, S., “Search for optimum conditions for gain to ground state in LiIII,” *AIP Conference Proceedings* **641**:1 (18

November 2002) 199-203. (Published online 30 October 2002.) DOI: <https://doi.org/10.1063/1.1521019>.

Geremia, J.M. and Rabitz, H., "Optimal identification of Hamiltonian information by closed-loop laser control of quantum systems," *Phys. Rev. Lett.* **89**:26, 263902 (23 December 2002). (Published online 12 December 2002.) DOI: <https://doi.org/10.1103/PhysRevLett.89.263902>.

Ho, T.-S.; **Hollebeek, T.**; Rabitz, H.; Chao, S.D.; Skodje, R.T.; Zyubin, A.S.; Mebel, A.M., "A globally smooth *ab initio* potential surface of the 1 A' state for the reaction S(¹D)+H₂," *J. Chem. Phys.* **116**:10, 4124 (8 March 2002). (Published online 26 February 2002.) DOI: <https://doi.org/10.1063/1.1431280>.

Hsu, P.I.; Bhattacharya, R.; Gleskova, H.; Huang, M.; Xi, Z.; Suo, Z.; Wagner, S.; Sturm, J.C., "Thin-film transistor circuits on large-area spherical surfaces," *Appl. Phys. Lett.* **81**:9 (26 August 2002) 1723-1725. (Published online 19 August 2002.) DOI: <https://doi.org/10.1063/1.1502199>.

Hsu, P.I.; Gleskova, H.; Huang, M.; Suo, Z.; Wagner, S.; Sturm, J.C., "Amorphous Si TFTs on plastically deformed spherical domes," *J. Non-Cryst. Solids* **299-302**:Pt 2 (April 2002) 1355-1359. (Published online 17 January 2002.) DOI: [https://doi.org/10.1016/S0022-3093\(01\)01156-5](https://doi.org/10.1016/S0022-3093(01)01156-5).

Li, B.; Turinici, G.; Ramakrishna, V.; Rabitz, H., "Optimal dynamic discrimination of similar molecules through quantum learning control," *J. Phys. Chem. B* **106**:33 (22 August 2002) 8125-831. (Published online 3 July 2002.) DOI: <https://doi.org/10.1021/jp0204657>.

Ping, Y.; **Geltner, I.**; Morozov, A.; Suckewer, S., "Interferometric measurements of plasma density in microcapillaries and laser sparks," *Phys. Plasmas* **9**:11, 4756 (November 2002). (Published online 23 October 2002.) DOI: <https://doi.org/10.1063/1.1510124>.

Ping, Y.; Geltner, I.; Morozov, A.; Fisch, N.J.; Suckewer, S., "Raman amplification of laser pulses in microcapillary plasmas," *AIP Conference Proceedings* **641**:1, 557 (18 November 2002). (Published online 30 October 2002.) DOI: <https://doi.org/10.1063/1.1521076>.

Ping, Y.; Geltner, I.; Morozov, A.; Fisch, N.J.; Suckewer, S., "Raman amplification of ultrashort laser pulses in microcapillary plasmas," *Phys. Rev. E*

66:4, 046401 (October 2002). (Published online 4 October 2002.) DOI: <https://doi.org/10.1103/PhysRevE.66.046401>.

Shenvi, N.; **Geremia, J.M.**; Rabitz H., “Nonlinear kinetic parameter identification through map inversion,” *J. Phys. Chem. A* **106:51** (4 December 2002) 12315-12323. (Published online 4 December 2002.) DOI: <https://doi.org/10.1021/jp021762e>.

Shtein, M.; Mapel, J.; Benziger, J.B.; Forrest, S.R., “Effects of film morphology and gate dielectric surface preparation on the electrical characteristics of organic-vapor-phase-deposited pentacene transistors,” *Appl. Phys. Lett.* **81:2**, 268 (8 July 2002). (Published online 27 June 2002.) DOI: <http://doi.org/10.1063/1.1491009>.

Trintchouk, F.; Yamada, M.; Ji, H.; Kulsrud, R.M.; Carter, T.A., “Measurement of the transverse Spitzer resistivity during collisional magnetic reconnection,” *Phys. Plasmas* **10:1** (January 2003) 319-322. (Published online 19 December 2002.) DOI: <https://doi.org/10.1063/1.1528612>.

Wagner, S.; Gleskova, H.; Cheng, I-C.; **Wu M.**, “Thin-film transistors and flexible electronics,” in *Growth, Characterization and Electronic Applications of Si-based Thin Films* (June 2002) pp. 1-14., R.B. Bergmann, Editor. Publisher: Research Signpost, Trivandrum, 2002.

Wu, M.; Bo, X.Z.; Sturm, J.C.; Wagner, S., “Complementary metal-oxide-semiconductor thin-film transistor circuits from a high-temperature polycrystalline silicon process on steel foil substrates,” *IEEE Trans. Electron Devices* **49:11** (November 2002) 1993-2000. (Published online 16 December 2002.) DOI: <https://doi.org/10.1109/TED.2002.804702>.

Wu, M. and S. Wagner, “CMOS polycrystalline silicon circuits on steel substrates,” *J. Non-Cryst. Solids* **299-302:Pt 2** (April 2002) 1316-1320. (Published online 8 January 2002.) DOI: [https://doi.org/10.1016/S0022-3093\(01\)01153-X](https://doi.org/10.1016/S0022-3093(01)01153-X).

2003

Avitzour, Y.; Valeo, E.; Suckewer, S., “Numerical investigation of gain in transition to ground state of LiIII ions and potential of using a Raman amplified pulse as a pump,” *proceedings SPIE* **5197**, *Soft X-Ray Lasers and Applications V* (19 December 2003). DOI: <http://doi.org/10.1117/12.504532>.

Biteen, J.S. **Geremia, J.M.**; Rabitz, H., “Closed-loop quantum control utilizing time domain maps,” *Chem. Phys.* **290**:1 (1 May 2003) 35-45. (Published online 28 March 2003.) DOI: [https://doi.org/10.1016/S0301-0104\(03\)00096-X](https://doi.org/10.1016/S0301-0104(03)00096-X).

Cheng, I-C. and Wagner, S., “High hole and electron field effect mobilities in nanocrystalline silicon deposited at 150 °C,” *Thin Solid Films* **247**:1-2 (3 March 2003) 56-59. (Published online 31 January 2003.) DOI: [https://doi.org/10.1016/S0040-6090\(02\)01243-9](https://doi.org/10.1016/S0040-6090(02)01243-9).

Cheng, I-C. and Wagner, S., “Nanocrystalline silicon thin film transistors,” in *IEE Proceedings - Circuits, Devices and Systems*, **150**:4 (5 August 2003) 339-344. (Published online 17 November 2003.) DOI: <https://doi.org/10.1049/ip-cds:20030573>. (This DOI address takes the user to a page where they select the source they wish to use to access the publication.)

Geltner, I. ; Ping, Y.; Suckewer, S., “Guiding and transmission of ultrashort high-intensity laser pulses in discharge-ablated LiF microcapillaries,” *J. Opt. Soc. Am. B* **20**:3 (1 March 2003) 616-620. DOI: <https://doi.org/10.1364/JOSAB.20.000616>.

Geremia, J.M. and Rabitz, H., “Error bounds for molecular Hamiltonians inverted from experimental data,” *Phys. Rev. A* **67**:2, 022711 (February 2003). (Published online 28 February 2003.) DOI: <https://doi.org/10.1103/PhysRevA.67.022711>.

Geremia, J.M. and Rabitz, H., “Optimal Hamiltonian identification: the synthesis of quantum optimal control and quantum inversion,” *J. Chem. Phys.* **118**:12, 5369 (22 March 2003). (Published online 7 March 2003.) DOI: <https://doi.org/10.1063/1.1538242>.

Hsu, P.I.; Huang, M.; Xi, Z.; Wagner, S.; Suo, Z.; Sturm, J.C., “Spherical deformation of compliant substrates with semiconductor device islands,” *J. Appl. Phys.* **95**:2 (15 January 2004) 705-712. (Published online 29 December 2003.) DOI: <https://doi.org/10.1063/1.1634370>.

Luff, J.D.; Mansfield, D.K.; Zaidi, S.H.; Aschoff, H.; Kuper, J.W.; Miles, R.B., “Development of a tunable megahertz pulse-burst Alexandrite laser system,” proceedings 34th AIAA Plasmadynamics and Lasers Conference, Fluid Dynamics and Co-located Conferences, paper AIAA 2003-3746 (23-26 June 2003; Orlando, Florida). DOI: <https://doi.org/10.2514/6.2003-3746>.

Mitra, A. and Rabitz, H., “Identifying mechanisms in the control of quantum dynamics through Hamiltonian encoding,” *Phys. Rev. A* **67**:3, 033407 (March 2003). (Published online 26 March 2003.) DOI: <https://doi.org/10.1103/PhysRevA.67.033407>.

Mitra, A.; Sola, I.; Rabitz, H., “Revealing quantum-control mechanisms through Hamiltonian encoding in different representations,” *Phys. Rev. A* **67**:4, 043409 (April 2003). (Published online 28 April 2003.) DOI: <https://doi.org/10.1103/PhysRevA.67.043409>.

Ping, Y.; Geltner, I.; Suckewer, S., “Raman backscattering and amplification in a gas jet plasma,” *Phys. Rev. E* **67**:1, 016401 (January 2003). (Published online 6 January 2003.) DOI: <https://doi.org/10.1103/PhysRevE.67.016401>.

Shenvi, N.; **Geremia, J.M.**; Rabitz, H., “Substituent ordering and interpolation in molecular library optimization,” *J. Phys. Chem. A* **107**:12 (27 March 2003) 2066-2074. (Published online 5 March 2003.) DOI: <https://doi.org/10.1021/jp021932n>.

Shtein, M.; Peumans, P.; Benziger, J.B.; Forrest S.R., “Micropatterning of small molecular weight organic semiconductor thin films using organic vapor phase deposition,” *J. App. Phys.* **93**:7, 4005 (1 April 2003). (Published online 21 March 2003.) DOI: <http://doi.org/10.1063/1.1557783>.

Turinici, G.; Ramakrishna, V.; **Li, B.**; Rabitz, H., “Optimal discrimination of multiple quantum systems: controllability analysis,” *J. Phys. A: Math. Gen.* **37**:1 (9 January 2004) 273-282. (Published online 10 December 2003.) DOI: <https://doi.org/10.1088/0305-4470/37/1/019>.

2004

Avitzour, Y.; Suckewer, S.; Valeo, E., “Numerical investigation of recombination gain in the Li III transition to ground state,” *Phys. Rev. E* **69**:4, 046409 (April 2004). (Published online 30 April 2004.) DOI: <https://doi.org/10.1103/PhysRevE.69.046409>.

Benziger, J.; **Chia, E.**; Karnas, E.; Moxley, J.; Teuscher C.; Kevrekidis, I.G., “The stirred tank reactor polymer electrolyte membrane fuel cell,” *AIChE J.* **50**:8 (August 2004) 1889-1900. (Published online 13 July 2004.) DOI: <https://doi.org/10.1002/aic.10158>.

Cheng, I-C.; Allen, S.; Wagner, S., “Evolution of nanocrystalline silicon thin film transistor channel layers,” *J. Non-Cryst. Solids* **338-340** (15 June 2004) 720-724. (Published online 10 May 2004.) DOI: <https://doi.org/10.1016/j.jnoncrysol.2004.03.076>.

Chia, E.S.J.; Benziger, J.B.; Kevrekidi, I.G., “Water balance and multiplicity in a polymer electrolyte membrane fuel cell,” *AIChE J.* **50**:9 (September 2004) 2320-2324. (Published online 17 August 2004.) DOI: <https://doi.org/10.1002/aic.10190>.

Foley, E.L. and Levinton, F.M., “Development of the motional Stark effect with laser-induced fluorescence diagnostic,” *Rev. Sci. Instrum.* **75**:10, 3462 (October 2004). (Published online 1 October 2004.) DOI: <http://doi.org/10.1063/1.1779616>.

Geremia, J.M. and Rabitz, H., “Efficient extraction of quantum Hamiltonians from optimal laboratory data,” *Phys. Rev. A* **70**:2, 023804 (August 2004). (Published online 13 August 2004.) DOI: <https://doi.org/10.1103/PhysRevA.70.023804>.

Give'on, A.; Kasdin, N.J.; Vanderbei, R.J.; **Avitzour, Y.**, “High-frequency folding and optimal phase conjugation for high-contrast adaptive optics,” proceedings SPIE **5490**, Advancements in Adaptive Optics (25 October 2004) 1438. DOI: <https://doi.org/10.1117/12.551576>.

Gleskova, H.; **Hsu, P.I.**; Xi, Z.; Sturm, J.C.; Suo, Z.; Wagner, S., “Field-effect mobility of amorphous silicon thin-film transistors under strain,” *J. Non-Cryst. Solids* **338-340** (15 June 2004) 732-735. (Published online 18 May 2004.) DOI: <https://doi.org/10.1016/j.jnoncrysol.2004.03.079>.

Hsu, P.I.; Huang, M.; Gleskova, H.; Xi, Z.; Suo, Z.; Wagner, S.; Sturm, J.C., “Effects of mechanical strain on TFTs on spherical domes,” *IEEE Trans. Electron Devices* **51**:3 (March 2004) 371-377. (Published online 26 February 2004.) DOI: <https://doi.org/10.1109/TED.2003.833873>.

Inglis, D.W.; Riehn, R.; Austin, R.H.; Sturm, J.C., “Continuous microfluidic immunomagnetic cell separation,” *Appl. Phys. Lett.* **85**:21, 5093 (22 November 2004). (Published online 23 November 2004.) DOI: <http://doi.org/10.1063/1.1823015>.

Kattamis, A.; Cheng, I-C.; Allen, S.; Wagner, S., “Hydrogen in ultralow temperature SiO₂ for nanocrystalline silicon thin film transistors,” Symposium I – Flexible Electronics - Materials and Device Technology 2004, in MRS Online Proceedings Library (OPL) Archive **814** (2004) 265-270. (Published online 17 March 2011.) DOI: <https://doi.org/10.1557/PROC-814-I10.14>.

Landsman A.S. and Cohen S.A., “Regular and stochastic orbits in a highly prolate field-reversed configuration,” Phys. Plasmas **11**:3, 947 (March 2004). (Published online 19 February 2004.) DOI: <http://doi.org/10.1063/1.1638751>.

Landsman, A.S.; Cohen, S.A.; Edelman, M.; Zaslavsky G., “Resonance and chaotic trajectories in magnetic field reversed configuration,” Comm. Nonlinear Sci. and Numer. Simul. **10**:6 (September 2005) 617-642. (Published online 21 March 2004.) DOI: <https://doi.org/10.1016/j.cnsns.2004.01.002>.

Mansfield, D.K.; Miles, R.B.; Howard, P.J.; **Luff, J.D.;** Girgis, I.G.; Brown, G.L.; Lipinski, R.J.; Pena, G.E.; Schneider, L.X.; Grinsted, J.; Howard, R., “Results of the 1 MW radiatively-driven hypersonic wind tunnel experiments,” proceedings 42nd AIAA Aerospace Sciences Meeting and Exhibit, paper AIAA 2004-1134 (5-8 January 2004; Reno, Nevada). DOI: <https://doi.org/10.2514/6.2004-1134>.

Mitra, A. and Rabitz, H., “Mechanistic analysis of optimal dynamic discrimination of similar quantum systems,” J. Phys. Chem. A. **108**:21 (2004) 4778-4785. (Published online 5 May 2004.) DOI: <https://doi.org/10.1021/jp0495390>.

Rabitz, H.A.; **Hsieh, M.M.;** Rosenthal, C.M., “Quantum optimally controlled transition landscapes,” Science **303**:5666 (26 March 2004) 1998-2001. DOI: <https://doi.org/10.1126/science.1093649>.

Shenvi, N.; **Geremia, J.M.;** Rabitz, H., “Efficient chemical kinetic modeling through neural network maps,” J. Chem. Phys. **120**:21, 9942 (1 June 2004). (Published online 11 May 2004.) DOI: <https://doi.org/10.1063/1.1718305>.

Shtein, M.; Peumans, P.; Benziger, J.B.; Forrest S.R., “Direct, mask- and solvent-free printing of molecular organic semiconductors,” Advanced Materials **16**:18 (September 2004) 1615-1620. (Published online 29 July 2004.) DOI: <http://doi.org/10.1002/adma.200400260>.

Shtein, M.; Peumans, P.; Benziger, J.B.; Forrest, S.R., “Direct mask-free patterning of molecular organic semiconductors using organic vapor jet print-

ing,” *J. Appl. Phys.* **96**:8 (15 October 2004) 4500-4507. (Published online 4 October 2004.) DOI: <http://doi.org/10.1063/1.1791760>.

Cooley, R. and Choueiri, E.Y., “Ion acceleration by beating electrostatic waves: domain of allowed acceleration,” *Phys. Rev. E* **69**:4, 046402 (April 2004). (Published online 14 April 2004.) DOI: <https://doi.org/10.1103/PhysRevE.69.046402>.

Staack, D.; Raitses, Y.; Fisch, N.J., “Shielded electrostatic probe for nonperturbing plasma measurements in Hall thrusters,” *Rev. Sci. Instrum.* **75**:2, 393 (February 2004). (Published online 29 January 2004.) DOI: <http://doi.org/10.1063/1.1634353>.

Staack, D.; Raitses, Y.; Fisch, N.J., “Temperature gradient in Hall Thrusters,” *App. Phys. Lett.* **84**:16, 3028 (19 April 2004). (Published online 13 April 2004.) DOI: <http://doi.org/10.1063/1.1710732>.

Wu, R.; Rabitz, H.; Turinici G.; Sola, I., “Connectivity analysis of controlled quantum control systems,” *Phys. Rev. A* **70**:5, 052507 (November 2004). (Published online 24 November 2004.) DOI: <https://doi.org/10.1103/PhysRevA.70.052507>.

Wu, R.; Sola, I.R.; Rabitz, H., “Optimal quantum control with multipolarization fields,” *Chem. Phys. Lett.* **400**:4-6 (21 December 2004) 469-475. (Published online 21 November 2004.) DOI: <https://doi.org/10.1016/j.cplett.2004.10.151>.

2005

Avitzour, Y.; Geltner, I.; Suckewer, S., “Laser pulse frequency shifting by ionization and recombination fronts in semiconductor plasma,” *J. Phys. B: At., Mol. Opt. Phys.* **38**:7 (14 April 2005) 779-788. (Published online 15 March 2005.)

Bartelt, A.F.; **Roth, M.**; Mehendale, M.; Rabitz, H., “Assuring robustness to noise in optimal control experiments,” *Phys. Rev. A* **71**:6, 063806 (June 2005). (Published online 15 June 2005.) DOI: <https://doi.org/10.1103/PhysRevA.71.063806>.

Benziger, J.; **Chia, E.**; Moxley J.F.; Kevrekidis, I.G., “The dynamic response of PEM fuel cells to changes in load,” *Chem. Eng. Sci.* **60**:6 (March 2005)

1743-1759. (Published online 11 January 2005.)
<https://doi.org/10.1016/j.ces.2004.10.033>.

Berkery, J.W. and Choueiri, E.Y., “Basic mechanisms controlling the sweeping efficiency of propagating current sheets,” *Plasma Sources Sci. Technol.* **15**:1 (February 2006) 64. (Published online 16 December 2005.) DOI:
<https://doi.org/10.1088/0963-0252/15/1/010>.

Cannella, V.; Izu, M.; Jones, S.; Wagner, S.; **Cheng, I-C.**, “Flexible stainless-steel substrates?,” *Inform. Display* **21**:6 (June 2005) 24. (Paper:
<http://informationdisplay.org/IDArchive/2005/June/FlexibleStainlessSteelSubstrates.aspx>.)

Cheng, I-C.; Kattamis, A.; Long, K.; Sturm, J.C.; Warner, S., “Stress control for overlay registration in a-Si:H TFTs on flexible organic-polymer-foil substrates,” *J. Soc. Inf. Disp.* **13**:7 (July 2005) 563-568. (Published online 18 June 2012.) Wiley Online Library:
<https://onlinelibrary.wiley.com/doi/10.1889/1.2001213>.

Cheng, W.; Avitzour, Y.; Ping, Y.; Suckewer, S.; Fisch, N.J.; Hur, M.S.; Wurtele, J.S., “Reaching the nonlinear regime of Raman amplification of ultrashort laser pulses,” *Phys. Rev. Lett.* **94**:4, 045003 (3 February 2005). (Published online 3 February 2005.) DOI:
<https://doi.org/10.1103/PhysRevLett.94.045003>.

Cheng, W.; **Avitzour, Y.**; Ping, Y.; Suckewer, S.; Fisch, N.J.; Hur, M.S.; Wurtele, J.S., “Reaching nonlinear regime in Raman amplification of ultrashort laser pulses,” proceedings 2005 Quantum Electronics and Laser Science Conference Vol. 1 (22-27 May 2005) 35-37. (Published online 5 December 2005.) DOI: <https://doi.org/10.1109/QELS.2005.1548666>.

Courvoiser, F.; Boutou, V.; Wood, V.; Bartelt, A.; **Roth, M.**; Rabitz, H.; Wolf, J.-P., “Femtosecond laser pulses distinguish bacteria from background urban aerosols,” *Appl. Phys. Lett.* **87**:6, 063901 (8 August 2005). (Published online 1 August 2005.) DOI: <https://doi.org/10.1063/1.2007870>.

Foley, E.L. and Levinton, F.M., “Sensitive dependence of hydrogen Balmer-alpha laser-induced fluorescence signal from hydrogen neutral beam on background magnetic field,” *J. Appl. Phys.* **98**:9, 093101 (1 November 2005). (Published online 8 November 2005.) DOI: <http://doi.org/10.1063/1.2121935>.

Give'on, A.; Kasdin, N.J.; Vanderbei, R.J.; **Avitzour, Y.**, "Amplitude and phase correction for high-contrast imaging using Fourier decomposition," proceedings SPIE **5905**, Techniques and Instrumentation for Detection of Exoplanets II, 590516 (14 September 2005). DOI: <https://doi.org/10.1117/12.617383>.

Gleskova, H.; **Cheng, I-C.**; Wagner, S.; Sturm, J.C.; Suo, Z., "Mechanics of thin-film transistors and solar cells on flexible substrates," Solar Energy **80**:6 (June 2006) 687-693. (Published online 27 December 2005.) DOI: <https://doi.org/10.1016/j.solener.2005.10.010>.

Hayes, M.Y.; **Li, B.**; Rabitz, H., "Estimation of molecular properties by high dimensional model representation," J. Phys. Chem. A **110**:1 (12 January 2006) 264-272. (Published online 10 December 2005.) DOI: <https://doi.org/10.1021/jp053197w>.

Kattamis, A.Z.; Holmes, R.J.; Cheng, I.-C.; Long, K.; Sturm, J.C.; Forrest, S.R.; Wagner, S., "High mobility nanocrystalline silicon transistors on clear plastic substrates," IEEE Electron Device Letters **27**:1 (January 2006) 49-51. (Published online 19 December 2005.) DOI: <https://doi.org/10.1109/LED.2005.861256>.

Li, B.; Rabitz H.; Wolf, J.P., "Optimal dynamic discrimination of similar quantum systems with time series data," J. Chem. Phys. **122**:15, 154103 (15 April 2005). (Published online 19 April 2005.) DOI: <https://doi.org/10.1063/1.1883170>.

Long, K.; **Kattamis, A.**; Cheng, I.-C.; Gleskova, H.; Wagner, S.; Sturm, J.C., "Increased reliability of a-Si TFT's deposited on clear plastic substrates at high temperatures," proceedings 63rd Device Research Conference Digest, Vol. **1** (20-22 June 2005) 141-142. (Published online 12 December 2005.) DOI: <https://doi.org/10.1109/DRC.2005.1553094>.

Markusic, T.; **Berkery, J.**; Choueiri, E., "Visualization of current sheet evolution in a pulsed plasma accelerator," IEEE Trans. Plasma Sci. **33**:2 (April 2005) 528-529. DOI: <https://doi.org/10.1109/TPS.2005.845898>.

Rabitz, H.; **Hsieh, M.**; Rosenthal, C., "Landscape for optimal control of quantum-mechanical unitary transformations," Phys. Rev. A **72**:5, 052337 (November 2005). (Published online 30 November 2005.) DOI: <https://doi.org/10.1103/PhysRevA.72.052337>.

Raitses, Y.; **Staack, D.**; Keidar, M.; Fisch, N.J., “Electron-wall interaction in Hall thrusters,” *Phys. Plasmas* **12**:5, 057104 (May 2005). (Published online 2 May 2005.) DOI: <http://doi.org/10.1063/1.1891747>.

Raitses, Y.; **Staack, D.**; Smirnov, A.; Fisch, N.J., “Space charge saturated sheath regime and temperature saturation in Hall thrusters,” *Phys. Plasmas* **12**:7, 073507 (July 2005). (Published online 7 July 2005.) DOI: <https://doi.org/10.1063/1.1944328>.

Roth, M.; Mehendale, M.; Bartelt, A.; Rabitz, H. “Acousto-optical shaping of ultraviolet femtosecond pulses,” *Appl. Phys. B* **80**:4-5, pp 441-444 (April 2005). (Published online 7 March 2005.) DOI: <https://doi.org/10.1007/s00340-005-1767-8>.

Sankaran, K.; Choueiri, E.Y.; Jardin, S.C., “Comparison of simulated plasma flowfields to experimental measurements for a gas-fed magnetoplasma dynamic thruster,” *J. Propul. Power* **21**:1 (January-February 2005) 129-138. DOI: <https://doi.org/10.2514/1.5340>.

2006

Avitzour, Y. and Suckewer, S., “Numerical simulation of the effect of hydrogen on recombination gain in the transition to ground state of Li III,” *J. Opt. Soc. Am. B* **23**:5 (1 May 2006) 925-31. DOI: <https://doi.org/10.1364/JOSAB.23.000925>.

Beck; W.; **Stockman, E.**; Zaidi; S.; Miles, R., “Rayleigh scattering measurements for obtaining spatially-resolved absolute gas densities in large-scale facilities,” proceedings 44th AIAA Aerospace Sciences Meeting and Exhibit, paper AIAA 2006-835 (9-12 January 2006; Reno, Nevada). DOI: <https://doi.org/10.2514/6.2006-835>. Meeting: <https://doi.org/10.2514/MASM06>.

Cheng, I.-Chun; **Kattamis, A.Z.**; Long, K.; Sturm, J.C.; Wagner, S., “Self-aligned amorphous-silicon TFTs on clear plastic substrates,” *IEEE Electron Device Letters* **27**:3 (March 2006) 166-168. (Published online 27 February 2006.) DOI: <https://doi.org/10.1109/LED.2006.870247>.

Chia, E.S.J.; Benziger, J.B.; Kevrekidis, I.G., “STR-PEM fuel cell as a reactor building block,” *AICHE J.* **52**:11 (November 2006) 3902-3910. (Published online 26 September 2006.) DOI: <https://doi.org/10.1002/aic.10987>.

Courvoisier, F.; Boutou, V.; Guyon, L.; **Roth, M.**; Rabitz, H.; Wolf, J.-P., "Discriminating bacteria from other atmospheric particles using femtosecond molecular dynamics," *Photochem. Photobiol. A: Chem.* **180**:3 (25 June 2006) 300-306. (Published online 30 May 2006.) DOI: <https://doi.org/10.1016/j.jphotochem.2006.03.039>.

Davis, J.A.; **Inglis, D.W.**; Morton, K.J.; Lawrence, D.A.; Huang, L.R.; Chou, S.Y.; Sturm, J.C.; Austin, R.H., "Deterministic hydrodynamics: Taking blood apart," *Proc. Nat. Acad. Sci.* **103**:40 (3 October 2006) 14779-14784. (Published online 25 September 2006.) DOI: <http://doi.org/10.1073/pnas.0605967103>.

Dogariu, A.; Huang, Y.; Avitzour, Y.; Murawski, R.K.; Scully, M.O., "Sensitive femtosecond coherent anti-Stokes Raman spectroscopy discrimination between dipicolinic acid and dinicotinic acid," *Opt. Lett.* **31**:21 (1 November 2006) 3176-3178. DOI: <https://doi.org/10.1364/OL.31.003176>.

Foley, E.L. and Levinton, F.M., "Progress on the motional Stark effect with laser-induced fluorescence diagnostic," *Rev. Sci. Instrum.* **77**:10, 10F311 (1 October 2006). (Published online 26 September 2006.) DOI: <http://doi.org/10.1063/1.2219432>.

Give'on, A.; Kasdin, N.J.; Vanderbei, R.J.; **Avitzour, Yoav**, "On representing and correcting wavefront errors in high-contrast imaging systems," *J. Opt. Soc. Am. A* **23**:5 (1 May 2006) 1063-1073. DOI: <https://doi.org/10.1364/JOSAA.23.001063>.

Gleskova, H.; Cheng, I.-C.; **Kattamis, A.**; Wagner, S.; Suo, Z., "Overlay alignment in a-Si:H TFTs fabricated on foil substrates," *ECS Transactions* **3**:8 (2006) 249-253. DOI: <https://doi.org/10.1149/1.2356360>.

Gleskova, H.; **Cheng, I-C.**; Wagner, S.; Suo, Z., "Thermomechanical criteria for overlay alignment on flexible thin-film electronic circuits," *Appl. Phys. Lett.* **88**:1, 011905 (2 January 2006). (Published online 3 January 2006.) DOI: <https://doi.org/10.1063/1.2161391>.

Guyon, L.; Courvoisier, F.; Wood, V.; Boutou, V.; Bartelt, A.F.; **Roth, M.**; Rabitz, H.; Wolf, J.-P., "Spectroscopy pump-probe for the detection of bioaerosols," *J. Phys. IV France* **135** (October 2006) 185-186 (Published in English 23 November 2006). DOI: <https://doi.org/10.1051/jp4:2006135050>.

Huang, Y.; Dogariu, A.; **Avitzour, Y.**; Murawski, R.K.; Pestov, D.; Zhi, M.; Sokolov, A.V.; Scully, M.O., “Discrimination of dipicolinic acid and its inter-ferents by femtosecond coherent Raman spectroscopy,” *J. Appl. Phys.* **100**:12, 124912 (15 December 2006). (Published online 27 December 2006.) DOI: <https://doi.org/10.1063/1.2402792>.

Inglis, D.W.; Davis, J.A.; Austin, R.H.; Sturm, J.C., “Critical particle size for fractionation by deterministic lateral displacement,” *Lab Chip* **6**:5 (17 March 2006) 655-658. DOI: <http://doi.org/10.1039/B515371A>.

Inglis, D.W.; Riehn, R.; Sturm, J.C.; Austin, R.H., “Microfluidic high gradient magnetic cell separation,” *J. Appl. Phys.* **99**:8, 08K101 (15 April 2006). (Published online 21 April 2006.) DOI: <https://doi.org/10.1063/1.2165782>.

Kattamis, A.Z.; Cheng, I.-Chun; Hong, Yongtaek; Wagner, S., “Amorphous silicon 2-TFT pixel circuits on stainless steel foils,” Symposium A – Amorphous and Polycrystalline Thin-Film Silicon Science and Technology 2006, in *MRS Online Proceedings Library (OPL) Archive* **910** (2006) 389-393. (Published online 1 February 2011.) DOI: <https://doi.org/10.1557/PROC-0910-A16-03-L09-03>.

Landsman, A.S.; Cohen S.A.; Glasser, A.H., “Onset and saturation of ion heating by odd-parity rotating magnetic fields in an FRC,” *Phys. Rev. Lett.* **96**:1, 015002 (13 January 2006). (Published online 3 January 2006.) DOI: <https://doi.org/10.1103/PhysRevLett.96.015002>.

Li, B.; Zhu, W.; Rabitz, H., “Optimal dynamic discrimination of similar quantum systems in the presence of decoherence,” *J. Chem. Phys.* **124**:24, 249901(28 June 2006) (Published online 26 June 2006.) DOI: <https://doi.org/10.1063/1.2203636>.

Likhanskii, A.; Shneider, M.; Macheret S.; Miles, R., “Modeling of interaction between weakly ionized near-surface plasmas and gas flow,” proceedings 44th AIAA Aerospace Sciences Meeting and Exhibit, paper AIAA 2006-1204 (9-12 January 2006; Reno, Nevada). DOI: <https://doi.org/10.2514/6.2006-1204>.

Long, K.; **Kattamis, A.Z.**; Cheng, I.-C.; Gleskova, H.; Wagner, S.; Sturm, J.C., “Stability of amorphous-silicon TFTs deposited on clear plastic substrates at 250 °C to 280° C,” *IEEE Electron Device Letters* **27**:2 (February 2006) 111-113. (Published online 23 January 2006.) DOI: <https://doi.org/10.1109/LED.2005.863147>.

Long, K.; **Kattamis, A.Z.**; Cheng, I.-C.; Gleskova, H.; Wagner, S.; Sturm, J.C.; Stevenson, M.; Yu, G.; O'Regan, M., "Active-matrix amorphous-silicon TFTs arrays at 180 °C on clear plastic and glass substrates for organic light-emitting displays," *IEEE Transactions on Electron Devices* **53**:8 (August 2006) 1789-1796. (Published online 24 July 2006.) DOI: <https://doi.org/10.1109/TED.2006.878028>.

Rabitz, H.; Ho, T.-S.; **Hsieh, M.**; Kosut, R.; Demiralp, M., "Topology of optimally controlled quantum mechanical transition probability landscapes," *Phys. Rev. A* **74**:1, 012721 (July 2006). (Published online 27 July 2006.) DOI: <https://doi.org/10.1103/PhysRevA.74.012721>.

Rabitz, H.; **Hsieh, M.**; Rosenthal, M., "Optimal control landscapes for quantum observables," *J. Chem. Phys.* **124**:20, 204107 (28 May 2006). (Published online 25 May 2006.) DOI: <https://doi.org/10.1063/1.2198836>.

Raitses, Y.; **Staack, D.**; Dunaevsky A.; Fisch, N.J., "Operation of a segmented Hall thruster with low-sputtering carbon-velvet electrodes," *J. Appl. Phys.* **99**:3, 036103 (1 February 2006). (Published online 8 February 2006.) DOI: <http://doi.org/10.1063/1.2168023>.

Roslund, J.; **Roth, M.**; Rabitz H., "Laboratory observation of quantum control level sets," *Phys. Rev. A* **74**:4, 043414 (18 October 2006). DOI: <https://doi.org/10.1103/PhysRevA.74.043414>.

Roth, M.; Roslund, J.; Rabitz, H., "Assessing and managing laser system stability for quantum control experiments," *Rev. Sci. Instrum.* **77**:8, 083107 (August 2006). (Published online 24 August 2006.) DOI: <https://doi.org/10.1063/1.2336193>.

Shen, Z.; **Hsieh M.**; Rabitz, H., "Quantum Optimal Control: Hessian analysis of the control landscape," *J. Chem. Phys.* **124**:20, 204106 (28 May 2006). (Published online 25 May 2006.) DOI: <https://doi.org/10.1063/1.2198836>.

Sturm, J.C.; **Hsu, P.I.**; Gleskova, H.; Bhattacharya, R.; Wagner, S., "Deformable electronic surfaces," *International Journal of High Speed Electronics and Systems (IJHSES)* **16**:1 (March 2006) 365-374. DOI: https://doi.org/10.1142/9789812773081_0020.

Zaidi, S; **Stockman, E.**; Qin, X.; Zhao, Z.; Macheret, S.; Ju, Y.; Miles, R., “Measurement of hydrocarbon flame speed enhancement in high Q micro-wave cavity,” proceedings 44th AIAA Aerospace Sciences Meeting and Exhibit, paper AIAA 2006-1217 (9-12 January 2006; Reno, Nevada). DOI: <https://doi.org/10.2514/6.2006-1217>.

2007

Avitzour, Y. and Suckewer, S., “Feasibility of achieving gain in transition to the ground state of C VI at 3.4 nm,” J. Opt. Soc. Am. B **24**:4 (1 April 2007) 819-828. (Published online 15 March 2007.) DOI: <https://doi.org/10.1364/JOSAB.24.000819>.

Beltrani, V.; **Dominy, J.**; Ho, T.-S.; Rabitz, H., “Photonic reagent control of dynamically homologous quantum systems,” J. Chem Phys **126**:9, 094105 (7 March 2007). (Published online 7 March 2007.) DOI: <https://doi.org/10.1063/1.2434177>.

Benziger, J.B.; **Chia, E.S.**; De Decker, Y.; Kevrekidis, I.G., “Ignition and front propagation in polymer electrolyte membrane fuel cells,” J. Phys. Chem. C **111**:5 (8 February 2007) 2330-2334. (Published online 18 January 2007.) DOI: <https://doi.org/10.1021/jp065682c>.

Benziger, J.; **Chia, J.E.**; Kimball E.; Kevrekidis, I.G., “Reaction dynamics in a parallel flow channel PEM fuel cell,” J. Electrochem. Soc. **154**:8 (2007) B835-B844. (Published online 15 June 2007.) DOI: <https://doi.org/10.1149/1.2745715>.

Berkery, J.W.; Markusic, T.E.; Choueiri, E., “Laser interferometry measurements of a high density propagating current sheet,” Plasma Sources Sci. Technol. **16**:2 (5 May 2007) 233-239. (Published online 5 February 2007.) DOI: <https://doi.org/10.1088/0963-0252/16/2/004>.

Carcia, P.F.; McLean, R.S.; Reilly, M.H.; Crawford, M.K.; Blanchard, E.N.; **Kattamis, A.Z.**; Wagner, S., “A comparison of zinc oxide thin-film transistors on silicon oxide and silicon nitride gate dielectrics,” J. Appl. Phys. **102**:7, 074512 (1 October 2007) (Published online 11 October 2007.) DOI: <https://doi.org/10.1063/1.2786869>.

Cheng, I-C. and Wagner, S., “Self-aligned nanocrystalline silicon thin-film transistor with deposited n⁺ source/drain layer,” Symposium A – Amorphous

and Polycrystalline Thin-Film Silicon Science and Technology 2007, in MRS Online Proceedings Library (OPL) Archive **989** (2007) 0989-A11-02. (Published online 1 February 2011.) DOI: <http://dx.doi.org/10.1557/PROC-0989-A11-02>.

Cherenack, K.H.; **Kattamis, A.Z.**; Hekmatshoar, B.; Sturm, J.C.; Wagner, S., “Amorphous-silicon thin-film transistors fabricated at 300 °C on a free-standing foil substrate of clear plastic,” *IEEE Electron Device Letters* **28**:11 (November 2007) 1004-1006. (Published online 29 October 2007.) DOI: <https://doi.org/10.1109/LED.2007.907411>.

Cohen, S.A.; **Landsman, A.S.**; Glasser, A.H., “Stochastic ion heating in a field-reversed configuration geometry by rotating magnetic fields,” *Phys. Plasmas* **14**:7, 072508 (1 July 2007). (Published online 18 July 2007.) DOI: <http://doi.org/10.1063/1.2746813>.

Courvoisier, F.; Bonacina, L.; Boutou, V.; Thuillier, J.; Extermann, B.; **Roth, M.**; Rabitz, H.; Wolf, J.-P., “Identification of biological microparticles using ultrafast depletion spectroscopy,” *Faraday Discuss* **137** (2008) 37-49. (Published online 21 August 2007.) DOI: <https://dx.doi.org/10.1039/B615221J>.

Hekmatshoar, B.; **Kattamis, A.Z.**; Cherenack, K.; Wagner, S.; Sturm, J.C., “Novel amorphous-Si AMOLED pixels with OLED-independent turn-on voltage and driving current,” proceedings 65th Device Research Conference (18-20 June 2007) 95-96. (Published online 29 October 2007.) DOI: <https://doi.org/10.1109/DRC.2007.4373666>.

Inglis, D.W.; Davis, J.A.; Zieziulewicz, T.J.; Lawrence, D.A.; Austin, R.H.; Sturm, J.C., “Determining blood cell size using microfluidic hydrodynamics,” *J. Immuno. Methods* **329**:1-2 (1 January 2008) 151-156. (Published online 1 November 2007.) DOI: <https://doi.org/10.1016/j.jim.2007.10.004>.

Kattamis, A.Z.; Cheng, I.-C.; Long, L.; Hekmatshoar, B.; Cherenack, K.H.; Wagner, S.; Sturm, J.C.; Venugopal, S.M.; Loy, D.E.; O'Rourke, S.M.; Allee, D.R., “Amorphous silicon thin-film transistor backplanes deposited at 200 °C on clear plastic for lamination to electrophoretic displays,” *J. Display Technol.* **3**:3 (September 2007) 304-308. (Published online 20 August 2007.) DOI: <https://doi.org/10.1109/JDT.2007.900935>.

Kattamis, A.Z.; Cherenack, K.H.; Hekmatshoar, B.; Cheng, I-Chun; Gleskova, H.; Sturm, J.C.; Wagner, S., “Effect of SiNx gate dielectric deposition

power and temperature on a-Si:H TFT stability,” IEEE Electron Device Letters **28**:7 (July 2007) 606-608. (Published online 25 June 2007.) DOI: <https://doi.org/10.1109/LED.2007.900078>.

Kattamis, A.Z.; Giebink, N.; Cheng, I-C.; Wagner, S.; Forrest, S.R., Hong, Y.; Cannella, V., “Active-matrix organic light-emitting displays employing two thin-film-transistor aSi:H pixels on flexible stainless-steel foil,” J. Soc. Inf. Disp. **15**:7 (July 2007) 433-437. (Published online 18 June 2012.) No correct DOI number available.

Kim, J.; Ahn, J.; **Avitzour, Y.**; Kim, D.; Suckewer, S., “Cold plasma generation by optical field ionization with hydrogen and helium gas mixture,” 2007 Conference on Lasers and Electro-Optics – Pacific Rim (26-31 August 2007) 648-649. (Published online 04 December 2007.) DOI: <https://doi.org/10.1109/CLEOPR.2007.4391740>.

Kimball, E.; Whitaker, T.; Kevrekidis I.; Benziger, J., “Drops, slugs and flooding in PEM Fuel Cells,” ECS Trans. **11**:1 (2007) 725-737. DOI: <http://doi.org/10.1149/1.2780985>.

Likhanskii, A.; Shneider, M.; Macheret, S.; Miles, R., “Optimization of dielectric barrier discharge plasma actuators at atmospheric and subatmospheric pressures,” 45th AIAA Aerospace Sciences Meeting and Exhibit, Aerospace Sciences Meetings, paper AIAA 2007-633 (8-11 January 2007; Reno, Nevada). DOI: <https://doi.org/10.2514/6.2007-633>.

Lunt, R.R.; Benziger, J.B.; Forrest, S.R., “Growth of an ordered crystalline organic heterojunction,” Adv. Mater. **19**:23 (December 2007) 4229-4233. (First published 12 November 2007.) DOI: <http://doi.org/10.1002/adma.200701572>.

Likhanskii A.V.; Shneider, M.N.; Macheret, S.O.; Miles, R.B., “Modeling of dielectric barrier discharge plasma actuators driven by repetitive nanosecond pulses,” Phys. Plasmas **14**:7, 073501 (July 2007). (Published online 9 July 2007.) DOI: <http://doi.org/10.1063/1.2744227>.

Likhanskii, A.V.; Shneider, M.N.; Opiats, D.F.; Miles, R.B.; Macheret, S.O., “Numerical modeling of DBD plasma actuators and the induced air flow,” 38th Plasmadynamics and Lasers Conference, paper AIAA 2007-4533 (25-28 January 2007; Miami, Florida). DOI: <https://doi.org/10.2514/6.2007-4533>.

Long, K; Cheng, I.-C.; Kattamis, A.; Gleskova, H.; Wagner, S.; Sturm, J.C., “Amorphous-silicon thin-film transistors made at 280 °C on clear-plastic substrates by interfacial stress engineering,” *J. Soc. Inf. Disp.* **15**:13 (March 2007) 167-176. (Published online 18 June 2012.) No correct DOI number available.

Lunt, R.R.; Benziger, J.B.; Forrest, S.R., “Real-time monitoring of organic vapor-phase deposition of molecular thin films using high-pressure reflection high-energy electron diffraction,” *Appl. Phys. Lett.* **90**:18, 181932 (April 2007). (Published online May 2007.) DOI: <http://doi.org/10.1063/1.2736274>.

Opiats, D.F.; Neretti, G.; Likhanskii, A.V.; Zaidi, S.; Shneider, M.N.; Miles, R.B.; Macheret, S.O., “Experimental investigation of DBD plasma actuators driven by repetitive high voltage nanosecond pulses with DC or low frequency sinusoidal bias,” 38th Plasmadynamics and Lasers Conference, paper AIAA 2007-4532 (25-28 June 2007; Miami, Florida). Best Paper Award. DOI: <https://doi.org/10.2514/6.2007-4532>.

Sharp, R.; Mitra A.; Rabitz, H., “Principles for determining mechanistic pathways from observable quantum control data,” *J. Math. Chem.* **44**:1 (July 2008) 142-171. (Published online 21 September 2007.) DOI: <https://doi.org/10.1007/s10910-007-9298-7>.

Stockman, E.; Zaidi, S.; Miles, R., “Hydrocarbon flame speed enhancement with high power pulsed microwaves, 38th Plasmadynamics and Lasers Conference, paper AIAA 2007-4601 (25-28 June 2007; Miami, Florida). DOI: <https://doi.org/10.2514/6.2007-4601>.

Stockman, E.; Zaidi, S.; Miles, R., “Pulsed microwave enhancement of laminar and turbulent hydrocarbon flames,” 45th AIAA Aerospace Sciences Meeting and Exhibit, paper AIAA 2007-1348 (8-11 January 2007; Reno, Nevada). DOI: <https://doi.org/10.2514/6.2007-1348>.

Wu, R.; Pechen, A.; Brif, C.; Rabitz, H., “Controllability of open quantum systems with Kraus-map dynamics,” *J. Phys A: Math. Theor.* **40**:21 (25 May 2007) 5681. (Published online 8 May 2007.) DOI: <https://doi.org/10.1088/1751-8113/40/21/015>.

Wu, R.; Rabitz, H.; Hsieh, M., “Characterization of the critical submanifolds in quantum ensemble control landscapes,” *J. Phys. A: Math. Theor.* **41**:1,

015006 (11 January 2008). (Published online 12 December 2007.) DOI:
<https://doi.org/10.1088/1751-8113/41/1/015006>.

2008

Alderman, B.; Howard, P.; Shneider, M.; Pivtorak, B.; Zaidi, S.; Miles, R.B., “Thermionic power conversion for scramjets and reentry vehicles using nano-second voltage pulses,” 39th Plasmadynamics and Lasers Conference, paper AIAA 2008-4098 (23-26 June 2008; Seattle, Washington). DOI:
<https://doi.org/10.2514/6.2008-4098>.

Avitzour, Y. and Shvets, G., “Manipulating electromagnetic waves in magnetized plasmas: compression, frequency shifting, and release,” *Phys. Rev. Lett.* **100**:6, 065006 (15 February 2008). (Published online 15 February 2008.) DOI: <https://doi.org/10.1103/PHYSREVLETT.100.065006>.

Cherenack, K.H.; **Kattamis, A.Z.**; Hekmatshoar, B.; Sturm, J.C.; Wagner, S., “Self-aligned Amorphous Silicon Thin-Film transistors with mobility above $1 \text{ cm}^2\text{V}^{-1}\text{s}^{-1}$ fabricated at 300°C on clear plastic substrates,” Symposium A – Amorphous and Polycrystalline Thin-Film Silicon Science and Technology 2008, in MRS Online Proceedings Library (OPL) Archive **1066** (2008) 1066-A20-03. (Published online 1 February 2011.) DOI:
<https://doi.org/10.1557/PROC-1066-A20-03>.

Cooley, J.E. and Choueiri, E.Y., “Threshold criteria for undervoltage breakdown,” *Appl. Phys.* **103**:9, 093305 (1 May 2008). (Published online 8 May 2008.) DOI: <http://doi.org/10.1063/1.2913196>.

Dominy J. and Rabitz, H., “Exploring families of quantum controls for generating unitary transformations,” *J. Phys A: Math. Theor.* **41**:20, 205305 (23 May 2008). (Published online 2 May 2008.) DOI: <https://doi.org/10.1088/1751-8113/41/20/205305>.

Han, L.; Song, F.; Chen, S.-Q.; Zou, C.-G. ; Yu, X.-C . ; Tian, J.-G.; Xu, J.; Xu, X.-D.; Zhao, G.-J., “Intense upconversion and infrared emissions in Er^{3+} - Yb^{3+} codoped Lu_2SiO_5 and $(\text{Lu}_{0.5}\text{Gd}_{0.5})_2\text{SiO}_5$,” *Appl. Phys. Lett.* **93**:1, 011110 (7 July 2008). (Published online 10 July 2008.) DOI:
<https://doi.org/10.1063/1.2954010>.

Hekmatshoar, B.; **Cherenack, K.H.**; Kattamis, A.Z.; Long, K.; Wagner, S.; Sturm, J.C., “Highly stable amorphous-silicon thin-film transistors on clear

plastic,” *Appl. Phys. Lett.* **93**:3, 032103 (21 July 2008) 3 pp. (Published online 23 July 2008.) DOI: <https://doi.org/10.1063/1.2963481>.

Hekmatshoar, B.; **Cherenack, K.H.**; Wagner, S.; Sturm, J.C., “Amorphous silicon thin-film transistors with DC saturation current half-life of more than 100 years,” in proceedings 2008 International Electron Devices Meeting (15-17 December 2008; San Francisco, CA) 4 pp. (Published online 27 February 2009.) DOI: <https://doi.org/10.1109/IEDM.2008.4796621>.

Hekmatshoar, B.; Cherenack, K.; Long, K.; **Kattamis, A.**; Wagner, S.; Sturm, J.C., “AMOLED reliability with a-Si TFT's in normal vs. inverted TFT/OLED integration scheme,” *IEEE 2008 Device Research Conference* (23-25 June 2008) 243-244. (Published on line 16 March 2009.) DOI: <http://dx.doi.org/10.1109/DRC.2008.4800822>.

Hekmatshoar, B.; **Kattamis, A.Z.**; Cherenack, K.H.; Long, K.; Chen, J.-Z.; Wagner, S.; Sturm, J.C.; Rajan, K.; Hack, M., “Reliability of active-matrix organic light-emitting-diode arrays with amorphous silicon thin-film transistor backplanes on clear plastic,” *IEEE Electron Device Letters* **29**:1 (January 2008) 63-66. (Published online 26 December 2008.) DOI: <https://doi.org/10.1109/LED.2007.910800>.

Hekmatshoar, B.; **Kattamis, A.Z.**; Cherenack, K.; Wagner, S.; Sturm, J.C., “A novel TFT-OLED integration for OLED-independent pixel programming in amorphous-Si AMOLED pixels,” *J. Soc. Inf. Disp.* **16**:1 (January 2008) 183-188. (Published online 18 June 2013.) Wiley Online Library: <https://onlinelibrary.wiley.com/doi/abs/10.1889/1.2835027>.

Hsieh, M.; Ho, T.-S.; Rabitz, H., “Natural variables for controlling quantum dynamics,” *Chem. Phys.* **352**:1-3 (3 September 2008) 77-84. (Published online 27 May 2008.) DOI: <https://doi.org/10.1016/j.chemphys.2008.05.013>.

Hsieh, M. and Rabitz, H., “Concatenated toolkit for quantum optimal control wave-function propagation,” *Phys. Rev E.* **77**:3, 037701 (March 2008). (Published online 17 March 2008.) DOI: <https://doi.org/10.1103/PhysRevE.77.037701>.

Hsieh, M. and Rabitz, H., “Optimal control landscape for the generation of unitary transformations,” *Phys. Rev. A* **77**:4, 042306 (April 2008). (Published online 7 April 2008.) DOI: <https://doi.org/10.1103/PhysRevA.77.042306>.

Hsieh, M.; Wu, R.; Rosenthal, C.; Rabitz, H., “Topological and statistical properties of quantum control transition landscapes,” *J. Phys. B: At., Mol. Opt. Phys.* **41**:7, 074020 (14 April 2008) — Special Issue on Coherent Control. (Published online 25 March 2008.) DOI: <https://doi.org/10.1088/0953-4075/41/7/074020>.

Inglis, D.W.; Morton, K.J.; Davis, J.A.; Zieziulewicz, T.J.; Lawrence, D.A.; Austin R.H.; Sturm, J.C., “Microfluidic device for label-free measurement of platelet activation,” *Lab Chip* **8**:6 (11 April 2008) 925-931. DOI: <http://doi.org/10.1039/B800721G>.

Kimball, E.; Whitaker, T.; Kevrekidis Y.G.; Benziger, J.B., “Drops, slugs, and flooding in polymer electrolyte membrane fuel cells,” *AIChE J.* **54**:5 (May 2008) 1313-1332. (Published online 26 March 2008.) DOI: <https://doi.org/10.1002/aic.11464>.

Likhanskii, A.V.; Shneider, M.N.; Macheret, S.O.; Miles, R.B., “Modeling of dielectric barrier discharge plasma actuator in air,” *J. App. Phys.* **103**:5, 053305 (1 March 2008). (Published online 11 March 2008.) DOI: <http://doi.org/10.1063/1.2837890>.

Liu, X.-M.; **Han, L.**; Liu, L.-T, “New type of thermal-isolation structure based on PI and OPS used in uncooled infrared detector,” *IEEE Sensors J.* **8**:4 (April 2008) 354-356. (Published online 15 February 2008.) DOI: <https://doi.org/10.1109/JSEN.2008.917475>.

Mandlik, P.; Gartside, J.; **Han, L.**; Cheng, I-C.; Wagner, S.; Silvernail, J.A.; Ma, R.-Q.; Hack, M.; Brown, J.J., “A single-layer permeation barrier for organic light-emitting displays,” *App. Phys. Lett.* **92**:10, 103309 (10 March 2008). (Published online 11 March 2008.) DOI: <https://doi.org/10.1063/1.2890432>.

Mitra, A. and Rabitz, H., “Quantum control mechanism analysis through field based Hamiltonian encoding: A laboratory implementable algorithm,” *J. Chem. Phys.* **128**:4, 044112 (28 January 2008). (Published online 30 January 2008.) DOI: <https://doi.org/10.1063/1.2820787>.

Mitra, A.; Sola I.; Rabitz, H., “Understanding the role of representation in controlled quantum-dynamical mechanism analysis,” *Phys. Rev. A* **77**:4, 043415 (April 2008). (Published online 22 April 2008.) DOI: <https://doi.org/10.1103/PhysRevA.77.043415>.

Moore, K.; **Hsieh, M.**; Rabitz, H., "On the relationship between quantum control landscape structure and optimization complexity," *J. Chem. Phys.* **128**:15, 154117 (21 April 2008). (Published online 18 April 2008.) DOI: <https://doi.org/10.1063/1.2907740>.

Morton, K.J.; Loutherbach, K.; **Inglis, D.W.**; Tsui, O.K.; Sturm, J.C.; Chou S.Y.; Austin, R.H., "Crossing microfluidic streamlines to lyse, label and wash cells," *Lab Chip* **8**:9 (1 September 2008) 1448-1453. (Published online 23 July 2008.) DOI: <http://doi.org/10.1039/B805614E>.

Morton, K.J.; Loutherbach, K.; **Inglis, D.W.**; Tsui, O.K.; Sturm, J.C.; Chou S.Y.; Austin, R.H., "Hydrodynamic metamaterials: microfabricated arrays to steer, refract, and focus streams of biomaterials," *Proc. Nat. Acad. Sci.* **105**:21 (27 May 2008) 7434-7438. (Published online 21 May 2008.) DOI: <http://doi.org/10.1073/pnas.0712398105>.

Opaits, D.F.; **Likhanskii, A.V.**; Neretti, G.; Zaidi, S.; Shneider, M.N.; Miles, R.B.; Macheret, S.O., "Experimental investigation of dielectric barrier discharge plasma actuators driven by repetitive high-voltage nanosecond pulses with DC or low frequency sinusoidal bias," *J. App. Phys.* **104**:4, 043304 (15 August 2008). (Published online 27 August 2008.) DOI: <http://doi.org/10.1063/1.2968251>.

Raitses, Y.; **Staack, D.**; Fisch, N.J., "Controlling the Plasma Potential Distribution in Segmented-Electrode Hall Thruster," *IEEE Trans. Plasma Sci.* **36**:4, Pt 1 (August 2008) 1202-1203. (Published online 16 May 2008.) DOI: <https://doi.org/10.1109/TPS.2008.924410>.

Stockman, E.; Zaidi S.; Miles, R., "Mechanisms of hydrocarbon laminar flame speed enhancement with microwaves," 46th AIAA Aerospace Sciences Meeting and Exhibit, paper AIAA 2008-1364 (7-10 January 2008; Reno, Nevada). DOI: <https://doi.org/10.2514/6.2008-1364>.

Uribarri, L. and Choueiri, E.Y., "Corruption of pulsed electric thruster voltage fluctuation measurements by transmission line resonances," *J. Propul. Power* **24**:3 (May-June 2008) 637-639. DOI: <http://doi.org/10.2514/1.33865>.

Uribarri, L. and Choueiri, E.Y., "Relationship between anode spots and onset voltage hash in magnetoplasmadynamic thrusters," *J. Propul. Power* **24**:3 (May-June 2008) 571-577. DOI: <http://doi.org/10.2514/1.34525>.

Wu, C.; **Avitzour, Y.**; Shvets, G., “Ultra-thin wide-angle perfect absorber for infrared frequencies,” proceedings of the SPIE **7029**, Metamaterials: Fundamentals and Applications, 70290W (4 September 2008). DOI: <https://doi.org/10.1117/12.797208>.

Wu, R.; Pechen, A.; Rabitz, H.; **Hsieh, M.**; Tsou, B., “Control landscapes for observable preparation with open quantum systems,” J. Math. Phys. **49**:2, 022108 (2008). (Published online 29 February 2008.) DOI: <https://doi.org/10.1063/1.2883738>.

2009

Avitzour, Y. and Shvets, G., “Magnetized plasma-filled waveguide: A new high-gradient accelerating structure,” AIP Conference Proceedings **1086**:1, 508 (22 January 2009). (Published online 26 January 2009.) DOI: <https://doi.org/10.1063/1.3080959>.

Avitzour, Y.; Urzhumov; Y.A., Shvets, G., “Wide-angle infrared absorber based on a negative-index plasmonic metamaterial,” Phys. Rev. B **79**:4, 045131 (15 January 2009). (Published online 30 January 2009.) DOI: <https://doi.org/10.1103/PhysRevB.79.045131>.

De Decker, Y.; Benziger, J.B.; **Kimball E.**; Kevrekidis, I.G., “Multistability, nonlinear response and wave propagation in self-humidified PEM fuel cells,” Chem. Eng. Sci. **65**:7 (1 April 2010) 2399-2409. (Published online 9 September 2009.) DOI: <https://doi.org/10.1016/j.ces.2009.09.011>.

Han, L.; Mandlik, P.; Cherenack, K.H.; Wagner, S., “Amorphous silicon thin-film transistors with field-effect mobilities of $2 \text{ cm}^2/\text{Vs}$ for electrons and $0.1 \text{ cm}^2/\text{Vs}$ for holes,” Appl. Phys. Lett. **94**:16, 162105 (20 April 2009). (Published online 21 April 2009.) DOI: <https://doi.org/10.1063/1.3119636>.

Han, L.; Mandlik, P.; Wagner, S., “A new gate dielectric for highly stable amorphous-silicon thin-film transistors with $\sim 1.5\text{-cm}^2/\text{V}\cdot\text{s}$ electron field-effect mobility,” IEEE Electron Device Lett. **30**:5 (May 2009) 502-504. (Published online 3 April 2009.) DOI: <https://doi.org/10.1109/LED.2009.2015779>.

Hsieh, M.; Wu, R.; Rabitz, H., “Topology of the quantum control landscape for observables,” J. Chem. Phys. **130**:10, 104109 (14 March 2009). (Published online 11 March 2009.) DOI: <https://doi.org/10.1063/1.2981796>.

Kalra, C.S.; Shneider, M.N.; Miles, R.B., “Numerical study of boundary layer separation control using magnetogasdynamic plasma actuators,” *Phys. Fluids* **21**:10, 06101 (October 2009). (Published online 2 October 2009.) DOI: <http://dx.doi.org/10.1063/1.3233658>.

Kalra, C.S.; Zaidi, S.H.; Shneider M.N.; Miles, R.B., “Shockwave induced turbulent boundary layer separation control with plasma actuators,” 47th AIAA Aerospace Sciences Meeting including the New Horizons Forum and Aerospace Exposition, paper AIAA 2009-1002 (5-8 January 2009; Orlando, Florida). DOI: <https://doi.org/10.2514/6.2009-1002>.

Cherenack, K.H.; **Kattamis, A.Z.**; Hekmatshoar, B.; Sturm, J.C.; Wagner, S., “Amorphous silicon thin-film transistors made on clear plastic at 300 °C,” *J. Korean Phys. Soc.* **54**:1, Pt 2, (January 2009) 415-20.

Dogariu, A.; Michael, J.; **Stockman, E.**; Miles, R.B., “Atomic oxygen detection using radar REMPI,” proceedings Conference on Lasers and Electro-Optics/International Quantum Electronics Conference, OSA Technical Digest (CD) (Optical Society of America, 2009), paper CFU4. DOI: <https://doi.org/10.1364/CLEO.2009.CFU4>.

Lunt, R.R.; Benziger J.B.; Forrest, S.R., “Relationship between crystalline order and exciton diffusion length in molecular organic semiconductors,” *Adv. Mater.* **22**:11 (19 March 2010) 1233-1236. (Published online 1 December 2009.) DOI: <http://doi.org/10.1002/adma.200902827>.

Lunt, R.R.; Giebink, N.C.; Belak, A.A.; Benziger, J.B.; Forrest, S.R., “Exciton diffusion lengths of organic semiconductor thin films measured by spectrally resolved photoluminescence quenching,” *J. Appl. Phys.* **105**, 053711 (1 March 2009). (Published online 11 March 2009.) DOI: <https://doi.org/10.1063/1.3079797>.

Lunt, R.R.; Kena-Cohen, S.; Benziger, J.B.; Forrest, S.R., “Measurement of the mean inner potentials of anthracene and naphthalene,” *Phys. Rev. Lett.* **102**:6, 065504 (13 February 2009). (Published online 13 February 2009.) DOI: <https://doi.org/10.1103/PhysRevLett.102.065504>.

Lunt, R.R.; Lassiter, B.E.; Benziger, J.B.; Forrest, S.R., “Organic vapor phase deposition for the growth of large area organic electronic devices,”

Appl. Phys. Lett. **95**:23, 233305 (December 2009). (Published online 11 December 2009.) DOI: <http://doi.org/10.1063/1.3271797>.

Moore, D.S.; Rabitz, H.; McGrane, S.D.; Greenfield, M.; Scharff, R.J.; Beltrani, V.; **Roslund, J.**, “Optimal Dynamic Detection of Explosives,” proceedings of the SPIE **7304**, Chemical, Biological, Radiological, Nuclear, and Explosives (CBRNE) Sensing X; 730413 (8 May 2009). DOI: <https://doi.org/10.1117/12.818671>.

Oza, A.; Pechen, A.; **Dominy, J.**; Beltrani, V.; Moore, K.; Rabitz, H., “Optimization search effort over the control landscapes for open quantum systems with Kraus-map evolution,” J. Phys. A: Math Theor. **42**:20, 205305 (22 May 2009). IOPscience: <http://stacks.iop.org/1751-8121/42/i=20/a=205305>.

Rondi, A.; Extermann, J.; Weber, S.M.; Bonacina, L.; Roslund, J.D.; **Roth, M.H.**; Rabitz, H.A.; Wolf, J.-P., “MEMS for femtosecond pulse shaping applications,” proceedings SPIE **7209**, MEMS Adaptive Optics III, 72090A (23 February 2009). DOI: <https://doi.org/10.1117/12.812102>.

Roslund J. and Rabitz H., “Experimental quantum control landscapes: Inherent monotonicity and artificial structure,” Phys. Rev. A **80**:1, 013408 (July 2009). (Published online 16 July 2009.) DOI: <https://doi.org/10.1103/PhysRevA.80.013408>.

Roslund J. and Rabitz, H., “Gradient algorithm applied to laboratory quantum control,” Phys. Rev. A **79**:5, 053417 (May 2009). (Published online 18 May 2009.) DOI: <https://doi.org/10.1103/PhysRevA.79.053417>.

Roslund, J.; Shir, O.M.; Back, T. Rabitz, H., “Accelerated optimization and automated discovery with covariance matrix adaptation for experimental quantum control,” Phys. Rev. A **80**:4, 043415 (October 2009). (Published online 27 October 2009.) DOI: <https://doi.org/10.1103/PhysRevA.80.043415>.

Roth, M.; Guyon, L.; Roslund, J.; Boutou, V.; Courvoisier, F.; Wolf, J.-P.; Rabitz, H., “Quantum control of tightly competitive product channels,” Phys. Rev. Lett. **102**:25, 253001 (26 June 2009). (Published online 22 June 2009.) DOI: <https://doi.org/10.1103/PhysRevLett.102.253001>.

Song, K.W.; **Han, L.**; Wagner, S.; Mandlik, P., “Effects of mechanical strain on the electrical performance of amorphous silicon thin-film transistors with a new gate dielectric,” Symposium C - Large-Area Processing and Patterning

for Optical, Photovoltaic and Electronic Devices 2009, in MRS Online Proceedings Library (OPL) Archive **1196** (2009) 50-55. (Published online 31 January 2011.) DOI: <https://doi.org/10.1557/PROC-1196-C02-02>.

Stockman, E.; Michael, J.; Fuller, A.; Zaidi S.; Miles, R., “Toward high Q, evanescent coupled microwave controlled combustion,” 47th AIAA Aerospace Sciences Meeting including the New Horizons Forum and Aerospace Exposition, paper AIAA 2009-491 (5-8 January 2009; Orlando, Florida). DOI: <https://doi.org/10.2514/6.2009-491>.

Stockman, E.S.; Sohail S.H.; Zaidi, H.; Miles, R.B.; Carter, C.D.; Ryan, M.D., “Measurements of combustion properties in a microwave enhanced flame,” *Combustion and Flame* **156**:7 (July 2009) 1453-1461. (Published online 13 May 2009.) DOI: <https://doi.org/10.1016/j.combustflame.2009.02.006>.

2010

Alderman, B.; Zaidi S.; Miles, R., “Pulsed thermionic power conversion with positive work function difference,” 48th AIAA Aerospace Sciences Meeting including the New Horizons Forum and Aerospace Exposition, paper AIAA 2010-1344 (4-7 January 2010; Orlando, Florida). DOI: <https://doi.org/10.2514/6.2010-1344>.

Benziger, J.; **Kimball, E.**; Mejia-Ariza R.; Kevrekidis, I., “Oxygen mass transport limitations at the cathode of polymer electrolyte membrane fuel cells,” *AIChE J.* **57**:9 (September 2011) 2505-2517. (Published online 7 October 2010.) DOI: <https://doi.org/10.1002/aic.12455>.

Cherenack, K.H.; Hekmatshoar, B.; Sturm, J.C.; Wagner, S., “Self-aligned amorphous silicon thin-film transistors fabricated on clear plastic at 300 °C,” *IEEE Trans. Electron Devices* **57**:10 (October 2010) 2381-2389. DOI: <https://doi.org/10.1109/TED.2010.2056132>.

Foley, E.L. and Levinton, F.M., “The motional stark effect with laser-induced fluorescence diagnostic,” *J. Phys. Conf. Ser.* **227**:1, 012007 (2010). (Published online 21 June 2010.) DOI: <https://doi.org/10.1088/1742-6596/227/1/012007>.

Giffin, A.; Shneider, M.; **Kalra C.S.**; Miles, R.B., “Effects of a conducting sphere moving through a gradient magnetic field,” 48th AIAA Aerospace Sci-

ences Meeting including the New Horizons Forum and Aerospace Exposition, paper AIAA 2010-1537 (4-7 January 2010; Orlando, Florida). DOI: <https://doi.org/10.2514/6.2010-1537>.

Grace, M.D.; **Dominy, J.**; Kosut, R.L.; Brif C.; Rabitz, H., “Environment-invariant measure of distance between evolutions of an open quantum system,” *New J. Phys.* **12**, 015001 (January 2010). DOI: <https://doi.org/10.1088/1367-2630/12/1/015001>.

Han, L.; Huang, Y.; Sturm, J.C.; Wagner, S., “Self-aligned top-gate coplanar a-Si:H thin-film transistors with a SiO₂ silicone hybrid gate dielectric,” *IEEE Electron Device Lett.* **32**:1 (January 2011) 36-38. (Published online 11 November 2010.) DOI: <https://doi.org/10.1109/LED.2010.2084558>.

Han, L.; Song, K.; Mandlik, P.; Wagner, S., “Ultraflexible amorphous silicon transistors made with a resilient insulator,” *Appl. Phys. Lett.* **96**:4, 042111 (25 January 2010). (Published online 29 January 2010.) DOI: <https://doi.org/10.1063/1.3298364>.

Han, L.; Song, K.; Wagner, S.; Mandlik, P., “17.3: a-Si:H thin-film transistors with a new hybrid dielectric highly stable under mechanical and electrical stress,” *SID International Symposium Digest of Technical Papers* **41**:1 (May 2010) 238-240. (Published online 5 July 2012.) DOI: <https://doi.org/10.1889/1.3500416>.

Han, L.; Song, K.; Wagner, S.; Mandlik, P., “A new insulator for thin-film transistor backplanes and for flexible passivation layers,” *ECS Trans.* **33**:5 (2010) 125-134. DOI: <https://doi.org/10.1149/1.3481226>.

Hsieh, M.; Wu, R.; Rabitz, H.; Lidar, D., “Optimal control landscape for the generation of unitary transformations with constrained dynamics,” *Phys. Rev. A* **81**:6, 062352 (June 2010). (Published online 30 June 2010.) DOI: <https://doi.org/10.1103/PhysRevA.81.062352>.

Kalra, C.S.; Zaidi, S.H.; Miles, R.B., “Velocity measurements in synthetic jet using magnetically driven surface discharges,” 48th AIAA Aerospace Sciences Meeting including the New Horizons Forum and Aerospace Exposition, paper AIAA 2010-831 (4-7 January 2010; Orlando, Florida). DOI: <https://doi.org/10.2514/6.2010-831>.

Kalra, C.S.; Zaidi, S.H.; Miles, R.B.; Macheret, S.O., “Shockwave-turbulent boundary layer interaction control using magnetically driven surface discharges,” *Exp. Fluids* **50**:3 (March 2011) 547-559. (Published online 18 August 2010.) <https://doi.org/10.1007/s00348-010-0898-9>.

Kimball, E.E.; Benziger J.B.; Kevrekidis, Y.G., “Effects of GDL structure with an efficient approach to the management of liquid water in PEM fuel cells,” *Fuel Cells* **10**:4 (19 August 2010) 530-544. (Published online 03 August 2010.) DOI: <https://doi.org/10.1002/face.200900114>.

Kirkwood, R.K.; Ping, Y.; Wilks, S.C.; Meezan, N.; Michel, P.; Williams, E.; Clark, D.; Suter, L.; Landen, O.; Fisch, N.J.; Valeo, E.J.; Malkin, V.; **Turnbull, D.**; Suckewer, S.; Wurtele, J.; Wang, T.L.; Martins, S.F.; Joshi, C.; Yin, L.; Albright, B.J.; Rose, H.A.; Bowers, K.J., “Observation of amplification of light by Langmuir waves and its saturation on the electron kinetic time-scale,” *J. Plasma Phys.* **77**:4 (August 2011) 521-528. (Published online 21 December 2010.) DOI: <https://doi.org/10.1017/S0022377810000681>.

Morozov, A.; **Luo, Y.**; Suckewer, S Gordon, D.F.; Sprangle, P., “Propagation of ultrashort pulses in optically ionized gases,” *Phys. Plasmas*, **17**:2, 023101 (February 2010). (Published online 1 February 2010.) DOI: <https://doi.org/10.1063/1.3294559>.

Mousavi, S.H.; Khanikaev, A.B.; Neuner, B.; **Avitzour, Y.**; Korobkin, D.; Ferro, G.; Shvets, G., “Highly confined hybrid spoof surface plasmons in ultrathin metal-dielectric heterostructures,” *Phys. Rev. Lett.* **105**:17, 176803 (22 October 2010) 4 pp. (Published online 19 October 2010.) DOI: <https://doi.org/10.1103/PhysRevLett.105.176803>.

Petersen, J.; Mitric, R.; Bonacic-Koutecky, V.; Wolf, J.-P.; **Roslund J.**; Rabitz, H., “How shaped light discriminates nearly identical bichromophores,” *Phys. Rev. Lett.* **105**:7, 073003 (13 August 2010). (Published online 12 August 2010.) DOI: <https://doi.org/10.1103/PhysRevLett.105.073003>.

Sheela Rani, B., Baig, M.; **Vasanth, K.**; Kannan, V., “Electronic power supply design for Sathyabama University Nano Satellite,” in *Recent Advances in Space Technology Services and Climate Change (RSTS & CC-2010)*, (13-15 November 2010) 470-472. (Published online 14 February 2011.) DOI: <https://doi.org/10.1109/RSTSCC.2010.5712891>.

Wagner, S.; **Han, L.**; Hekmatshoar, B.; Song, K.; Mandlik, P.; Cherenack, K.H.; Sturm, James C., “61.3: Amorphous silicon TFT technology for rollable OLED displays,” SID International Symposium Digest of Technical Papers 41:1 (May 2010) 917-920. (Published online 5 July 2012.) DOI: <https://doi.org/10.1889/1.3500630>.

2011

Beltrani, V.; **Dominy, J.**; Ho, T.-S.; Rabitz, H., “Bounds on the curvature at the top and bottom of the transition probability landscape,” J. Phys. B: At. Mol. Opt. Phys. 44:15, 154009 (14 August 2011). DOI: <http://stacks.iop.org/0953-4075/44/i=15/a=154009>.

Beltrani, V.; **Dominy, J.**; Ho, T.-S.; Rabitz, H., “Exploring the top and bottom of the quantum control landscape,” J. Chem. Phys. 134:19, 194106 (21 May 2011). (Published online 17 May 2011.) DOI: <https://doi.org/10.1063/1.3589404>.

Cheah, M.J.; Kevrekidis I.G.; Benziger, J., “Effect of interfacial water transport resistance on coupled proton and water transport across Nafion,” J. Phys. Chem. B 115:34 (1 September 2011) 10239-10250. (Published online 22 July 2011.) DOI: <http://doi.org/10.1021/jp204785t>.

Colosqui, C.E.; **Cheah, M.J.**; Kevrekidis. I.G.; Benziger, J.B., “Droplet and slug formation in polymer electrolyte membrane fuel cell flow channels: the role of interfacial forces,” Power Sources 196:23 (1 December 2011) 10057-10068. (Published online 26 August 2011.) DOI: <https://doi.org/10.1016/j.jpowsour.2011.08.084>.

Deng, L.; **Han, L.**; Xi, Y.; Li, X.; Huang, W., “Design optimization of high performance single-mode Fabry-Perot lasers based on quantum dot materials,” in Advanced Photonics, OSA Technical Digest (CD) (Optical Society of America, 2011) paper JTuB19. DOI: <https://doi.org/10.1364/ANIC.2011.JTuB19>.

Dominy J. and Rabitz, H., “Volume fractions of the kinematic ‘near-critical’ sets of the quantum ensemble control landscape,” J. Phys. A: Math. Theor. 44:25, 255302 (24 June 2011). (Published online 18 May 2011.) DOI: <https://doi.org/10.1088/1751-8113/44/255302>.

Han, L.; Wen, Y.; Huang, W.-P., “Automatic extraction of chirp parameter of DFB laser,” in Advanced Photonics, OSA Technical Digest (CD) (Optical Soci-

ety of America, 2011) paper JTUB22. DOI:
<https://doi.org/10.1364/ANIC.2011.JTuB22>.

Jorns, B. and Choueiri, E.Y., “Ion heating with beating electrostatic waves,” *Phys. Rev. Lett.* **106**:8, 085002 (25 February 2011). (Published online: 23 February 2011.) DOI: <https://doi.org/10.1103/PhysRevLett.106.085002>.

Kirkwood, R.K.; Michel, P.; London, R.; Moody, J.D.; Dewald, E.; Yin, L.; Kline, J.; Hinkel, D.; Callahan, D.; Meezan, N.; Williams, E.; Divol, L.; Albright, B.L.; Bowers, K.J.; Bond, E.; Rose, H.; Ping, Y.; Wang, T.L.; Joshi, C.; Seka, W.; Fisch, N.J.; **Turnbull, D.**; Suckewer, S.; Wurtele, J.S.; Glenzer, S.; Suter, L.; Haynam, C.; Landen, O.; MacGowan, B.J., “Multi-beam effects on backscatter and its saturation in experiments with conditions relevant to ignition,” *Phys. Plasmas* **18**:5, 056311 (May 2011). (Published online 26 May 2011.) (Paper: <https://doi.org/10.1063/1.3587122>).

Laforge, F.; **Roslund, J.**; Shir, O.; Rabitz, H., “Multiobjective adaptive feedback control of two-photon absorption coupled with propagation through a dispersive medium,” *Phys. Rev. A* **84**:1, 013401 (1 July 2011). DOI: <https://doi.org/10.1103/PhysRevA.84.013401>.

Limbach, C.M.; Shneider, M.; Miles, R.B., “Hypersonic vehicle MHD power extraction concept utilizing mach stem thermal ionization,” proceedings 42nd AIAA Plasmadynamics and Lasers Conference in conjunction with the 18th International Conference on MHD Energy Conversion (ICMHD), paper AIAA 2011-3595 (27-30 June 2011; Honolulu, Hawaii). DOI: <http://dx.doi.org/10.2514/6.2011-3595>.

Lunt, R.R.; Sun, K.; Kroger, M.; Benziger, J.B.; S.R. Forrest, “Ordered organic-organic multilayer growth,” *Phys. Rev. B* **83**:6, 064114 (1 February 2011). (Published online 28 February 2011.) DOI: <https://doi.org/10.1103/PhysRevB.83.064114>.

McGrane, S.; Greenfield, M.; Scharff, J.; Moore, D.; **Roslund, J.**; Rabitz, H., “Optimal dynamic detection enhances sensitivity of explosives detection,” *Laser Focus World* **2** (18 February 2011).

Miles, R.; Howard, P.; **Limbach, C.**; Zaidi, S.; Lucato, S.; Cox, B.; Marshall, D.; Espinosa, A.M.; Driemeyer, D., “A shape-morphing ceramic composite for variable geometry scramjet inlets,” *J. Amer. Ceramic Soc.*, Vol. **94**:s1 (June

2011) s35 – s41. (Published online 3 May 2011.) DOI:
<https://doi.org/10.1111/j.1551-2916.2011.04561.x>.

Moore, D.S.; Rabitz, H.; McGrane, S.D.; Greenfield, M.; Scharff, R.J.; Beltrani, V.; **Roslund, J.**, “Optimal dynamic detection of explosives,” proceedings of the SPIE **8018**, Chemical, Biological, Radiological, Nuclear, and Explosives (CBRNE) Sensing XII, 80181D (3 June 2011). DOI:
<https://doi.org/10.1117/12.882963>.

Moore, K.W.; Pechen, A.; Feng, X.-J.; **Dominy, J.**; Beltrani, V.; Rabitz, H., “Universal characteristics of chemical synthesis and property optimization,” *Chem. Sci.* **2**:3 (1 March 2011) 417-424. (Published online 21 January 2011.) DOI: <http://dx.doi.org/10.1039/C0SC00425A>.

Moore, K.W.; Pechen, A.; Feng, X.-J.; **Dominy, J.**; Beltrani, V.; Rabitz, H., “Why is chemical synthesis and property optimization easier than expected?” *Phys. Chem. Chem. Phys.* **13**:21 (12 April 2011) 10048-10070. (Published online 12 April 2011.) DOI: <https://doi.org/10.1039/C1CP20353C>.

Morozov, A.; **Li, S.**; Turnbull, D.; Suckewer, S., “Ultra-high pulse intensity amplification and compression in plasma,” *Frontiers in Optics 2011/Laser Science XXVII*, (16-20 October 2011). OSA Technical Digest (Optical Society of America, 2011), paper FWP3. DOI: <https://doi.org/10.1364/FIO.2011.FWP3>.

Rondi, A.; Kiselev, D.; Machado, S.; Extermann, J.; Weber, S.; Bonacina, L.; Wolf, J.-P.; Roslund, J.; **Roth, M.**; Rabitz, H., “Discriminating biomolecules with coherent control strategies,” *CHIMIA International Journal for Chemistry* **65**:5 (1 May 2011) 346-349. (Published online 1 May 2011.) DOI: <https://doi.org/10.2533/chimia.2011.346>.

Roslund, J.; **Roth, M.**; Guyon, L.; Boutou, V.; Courvoisier, F.; Wolf, J.-P.; Rabitz, H., “Resolution of strongly competitive product channels with optimal dynamic discrimination: application to flavins,” *J. Chem. Phys.* **134**:3 034511 (21 January 2011). (Published online 21 January 2011.) DOI: <https://doi.org/10.1063/1.3518751>.

Roslund, J.; Shir, O.; Dogariu, A.; Miles, R.; Rabitz, H., “Control of nitromethane photoionization efficiency with shaped femtosecond pulses,” *J. Chem. Phys.* **134**:15, 154301 (21 April 2011). (Published online 15 April 2011.) DOI: <https://doi.org/10.1063/1.3576052>.

Schouten, P.; Lemckert, C.; **Turnbull, D.**; Parisi, A.; Downs, N.; Underhill, I.; Turner, G., “Chemical films and monolayers on the water surface and their interactions with ultraviolet radiation: A pilot investigation,” *Meas. Sci. Technol.* **22**:6, 065703 (June 2011). (Published online 10 May 2011.) IOPscience: <http://stacks.iop.org/0957-0233/22/i=6/a=065703>.

Wang, R.; **Han, L.**; Mu, J.; Huang, W.P., “Simulation of waveguide corner and cross by complex mode matching method,” in *Advanced Photonics*, OSA Technical Digest (CD) (Optical Society of America, 2011) paper IMC6. DOI: <https://doi.org/10.1364/IPRSN.2011.IMC6>.

Wong, I.; Grigoriu, A.; **Roslund, J.**; Ho, T.-S.; Rabitz, H., “Laser-driven direct quantum control of nuclear excitations,” *Phys. Rev. A* **84**:5, 053429 (November 2011). (Published online 23 November 2011.) DOI: <https://doi.org/10.1103/PhysRevA.84.053429>.

Wu, R.-B.; **Hsieh, M.**; Rabitz, H., “Role of controllability in optimizing quantum dynamics,” *Phys. Rev. A* **83**:6, 062306 (June 2011). (Published online 7 June 2011.) DOI: <https://doi.org/10.1103/PhysRevA.83.062306>.

2012

Afsar, Y.; Sarik, J.; Gorlatova, M.; Zussman, G.; Kymissis, I.; “Evaluating photovoltaic performance indoors,” in *2012 38th IEEE Photo Specialists Conference* (3-8 June 2012; Austin, Texas) 001948-001951. (Published online 4 October 2012.) DOI: <https://doi.org/10.1109/PVSC.2012.6317977>.

Dominy, J. and Rabitz, H., “Dynamic homotopy and landscape dynamical set topology in quantum control,” *J. Math. Phys.* **53**:8, 082201 (August 2012). (Published online 13 August 2012.) DOI: <https://doi.org/10.1063/1.4742375>.

Farley, D.R.; **Mitrani, J.M.**; Cohen, S.A., “Coherent Population Trapping as a Magnetic-field Diagnostic for Hydrogen Plasmas,” *Phys. Rev. A* **85**:3, 033412 (March 2012). (Published online 12 March 2012.) DOI: <https://doi.org/10.1103/PhysRevA.85.033412>.

Griswold, M.E.; Ellison, C.L.; Raiteses, Y.; Fisch, N.J., “Feedback control of an azimuthal oscillation in the $E \times B$ discharge of Hall thrusters,” *Phy. Plasmas* **19**:5 053506 (May 2012). (Published online May 2012.) DOI: <http://doi.org/10.1063/1.4719713>.

Guo, Q.; Li, X.; Mu, J.; **Han, L.**; Huang, W.-P., “Planar waveguide polarization beam splitter based on form birefringence,” *IEEE Photonics Techn. Lett.* **24**:20 (15 October 2012) 1834-1837. (Published online 28 August 2012.) DOI: <https://doi.org/10.1109/LPT.2012.2215918>.

He, Y.; Zhang, G.; **Han, L.**; Zhang, X., “Multiregion DCIV: A sensitive tool for characterizing the Si/SiO₂ interfaces in LDMOSFETs,” *IEEE Electron Device Lett.* **33**:10 (October 2012) 1435-1437. (Published online 20 August 2012.) DOI: <https://doi.org/10.1109/LED.2012.2208730>.

Hsu, L.-Y. and Rabitz, H., “Single-molecule phenyl-acetylene-macrocycle-based optoelectronic switch functioning as a quantum-interference-effect transistor,” *Phys. Rev. Lett.* **109**:18, 186801 (November 2012). (Published online 31 October 2012.) DOI: <https://doi.org/10.1103/PhysRevLett.109.186801>.

Lev, D.R. and Choueiri, E.Y., “Scaling of efficiency with applied magnetic field in magnetoplasma dynamic thrusters,” *J. Propul. Power* **28**:3 (May-June 2012) 609-616. DOI: <https://doi.org/10.2514/1.B34194>.

Limbach, C.M.; Martinelli, L.; Miles, R.B., “Adjoint optimization of mass, momentum and energy addition in steady supersonic flow,” 6th AIAA Flow Control Conference, paper AIAA 2012-2811 (25-28 June 2012; New Orleans, Louisiana). DOI: <https://doi.org/10.2514/6.2012-2811>.

McGuire, S.; Zaidi, S.; Dogariu, A.; Howard, P.; Miles, R.B., “Measuring the velocity of a supersonic airflow with laser ionization tagged radar anemometry (LITRA),” 50th AIAA Aerospace Sciences Meeting including the New Horizons Forum and Aerospace Exposition, paper AIAA 2012-0989 (9-12 January 2012; Nashville, Tennessee). DOI: <http://dx.doi.org/10.2514/6.2012-989>.

Michael, J.B.; **Chng, T.L.**; Dogariu, A.; Miles, R.B., “Toward species concentration measurements for a pulsed subcritical microwave-enhanced flame,” 50th AIAA Aerospace Sciences Meeting including the New Horizons Forum and Aerospace Exposition, paper AIAA 2012-0378 (9-12 January 2012; Nashville, Tennessee). DOI: <http://doi.org/10.2514/6.2012-378>.

Ping, Y.; Kemp, A.J.; Divol, L.; Key, M.H.; Patel, P.K.; Akli, K.U.; Beg, F.N.; Chawla, S.; Chen, C.D.; Freeman, R.R.; Hey, D.; Higginson, D.P.; Jarrott, L.C.; Kemp, G.E.; Link, A.; McLean, H.S.; Sawada, H.; Stephens, R.B.; **Turnbull, D.**; Westover, B.; Wilks, S.C., “Dynamics of relativistic laser-

plasma interaction on solid targets,” Phys. Rev. Lett. **109**:14, 145006 (5 October 2012). (Published online 5 October 2012.) DOI: <https://doi.org/10.1103/PhysRevLett.109.145006>.

Shir, O.M.; **Roslund, J.**; Leghtas Z.; Rabitz, H., “Quantum control experiments as a testbed for evolutionary multi-objective algorithms,” Genet. Program Evolvable Mach. **13**:4 (December 2012) 445-491. (Published online 25 May 2012.) DOI: <https://doi.org/10.1007/s10710-012-9164-7>.

Turnbull, D.; Li, S.; Morozov, A.; Suckewer, S., “Possible origins of a time-resolved frequency shift in Raman plasma amplifiers,” Phys. Plasmas **19**:7, 073103 (July 2012). (Published online 11 July 2012.) DOI: <https://doi.org/10.1063/1.4736856>.

Turnbull, D.; Li, S.; Morozov, A.; Suckewer, S., “Simultaneous stimulated Raman, Brillouin, and electron-acoustic scattering reveals a potential saturation mechanism in Raman plasma amplifiers,” Phys. Plasmas **19**:8, 083109 (August 2012). (Published online 23 August 2012,) DOI: <https://doi.org/10.1063/1.4748290>.

Wu, R.-B.; Long, R.; **Dominy, J.**; Ho, T.-S.; Rabitz, H., “Singularities of quantum control landscapes,” Phys. Rev. A **86**:1, 013405 (July 2012). (Published online 9 Jul 2012.) DOI: <https://doi.org/10.1103/PhysRevA.86.013405>.

2013

Cheah, M.J.; Kevrekidis I.G.; Benziger, J.B., “Water slug formation and motion in gas flow channels: the effects of geometry, surface wettability, and gravity,” Langmuir **29**:31 (6 August 2013) 9918-9934. (Published online 26 June 2013.) DOI: <https://doi.org/10.1021/la4011967>.

Cheah, M. J.; Kevrekidis I.G.; Benziger, J.B., “Water slug to drop and film transitions in gas-flow channels,” Langmuir **29**:48 (3 December 2013) 15122-15136. (Published online 8 November 2013.) DOI: <https://doi.org/10.1021/la403057k>.

Chng, T.L.; Michael, J.B.; Dogariu, A.; Zaidi, S.; Miles, R.B., “Towards quantitative flame species concentration measurements using radar REMPI,” 51st AIAA Aerospace Sciences Meeting including the New Horizons Forum and Aerospace Exposition, paper AIAA 2013-0433 [7-10 January 2013; Grapevine (Dallas/Ft. Worth Region), Texas]. DOI: <http://doi.org/10.2514/6.2013-433>.

Donovan, A.; Beltrani V.; Rabitz, H., “Exploring the impact of constraints in quantum optimal control through a kinematic formulation,” *Chem. Phys.* **425** (8 November 2013) 46-54. (Published online 8 August 2013.) DOI: <https://doi.org/10.1016/j.chemphys.2013.07.019>.

Donovan, A.; Beltrani, V.; Rabitz, H., “Local topology at limited resource induced suboptimal traps on the quantum control landscape,” *J. Math. Chem.* **52:2** (February 2014) 407-429. (Published online 18 October 2013.) DOI: <https://doi.org/10.1007/s10910-013-0269-x>.

Hellstern, T.; Gauthier, E.; **Cheah, M.J.**; Benziger, J.B., “The role of the gas diffusion layer on slug formation in gas flow channels of fuel cells,” *Int. J. Hydrogen Energy* **38:35** (22 November 2013) 15414-15427.

Jorns, B. and Choueiri, E.Y., “Stochastic ion acceleration by beating electrostatic waves,” *Phys. Rev. E* **87:1**, 013107 (January 2013). (Published online 23 January 2013.) DOI: <https://doi.org/10.1103/PhysRevE.87.013107>.

Jorns, B. and Choueiri, E.Y., “Stochastic threshold for ion heating with beating electrostatic waves,” *Phys. Rev. Lett.* **110:24**, 245002 (14 June 2013). (Published online 14 June 2013.) DOI: <https://doi.org/10.1103/PhysRevLett.110.245002>.

Limbach, C.M.; Martinelli, L.; Miles, R.B., “Adjoint optimization of volumetric sources in steady, supersonic flow: energy addition,” *AIAA Journal* **51:10** (October 2013) 2465-2473. (Published online 24 July 2013.) DOI: <https://doi.org/10.2514/1.J052357>.

Limbach, C.M. and Miles, R.B., “Steering in supersonic flow via laser breakdown: measurements for a tethered cylinder-cone,” 51st AIAA Aerospace Sciences Meeting including the New Horizons Forum and Aerospace Exposition, paper AIAA 2013-0318 [7-10 January 2013; Grapevine (Dallas/Ft. Worth Region) Texas]. (Published online 24 July 2013.) DOI: <https://doi.org/10.2514/6.2013-318>.

Little, J.M. and Choueiri, E.Y., “Thrust and efficiency model for electron-driven magnetic nozzles,” *Phys. Plasmas* **20:10**, 103501 (October 2013). (Published online 11 October 2013.) DOI: <http://doi.org/10.1063/1.4824613>.

McGuire, S.; Chng, T.; Miles, R.B., “Nanosecond time-resolved 2 + 2 radar REMPI measurements performed in molecular nitrogen,” 44th AIAA Plas-madynamics and Lasers Conference, paper AIAA 2013-2760 (24-27 June 2013; San Diego, California). DOI: <http://doi.org/10.2514/6.2013-2760>.

McGuire, S.; Zaidi, S.; Dogariu, A.; Miles, R.; Hovde, C., “The intrinsic phase shift and its effect upon the measurement of airflow velocities using LITRA,” 51st AIAA Aerospace Sciences Meeting including the New Horizons Forum and Aerospace Exposition, paper AIAA 2013-0430 [(7-10 January 2013; Grapevine (Dallas/Ft. Worth Region) Texas)]. DOI: <http://doi.org/10.2514/6.2013-430>.

Michael, J.B.; **Chng, T.L.**; Miles, R.B., “Sustained propagation of ultra-lean methane/air flames with pulsed microwave energy deposition,” *Combust. Flame* **160**:4 (April 2013) 796-807. (Published online 15 January 2013.) DOI: <https://doi.org/10.1016/j.combustflame.2012.12.006>.

Nanduri, A.; **Donovan, A.**; Ho, T.-S.; Rabitz, H., “Exploring quantum control landscape structure,” *Phys. Rev. A* **88**:3, 033425 (September 2013). (Published online 30 September 2013.) DOI: <https://doi.org/10.1103/PhysRevA.88.033425>.

2014

Chng, T.L. and Miles, R.B., “Absolute concentration measurements of atomic oxygen in a flame using radar REMPI,” 52nd Aerospace Sciences Meeting, paper AIAA 2014-1360 (13-17 January 2014; National Harbor, Maryland). DOI: <https://doi.org/10.2514/6.2014-1360>.

Dominy, J.M.; Ho, T.-S.; Rabitz, H.A., “Characterization of the critical sets of quantum unitary control landscapes, *IEEE Trans. Automatic Control, TAC* **59**:8 (August 2014) 2083-2098. (Published online 29 April 2014.) DOI: <https://doi.org/10.1109/TAC.2014.2321038>.

Donovan, A. and Rabitz, H., “Exploring the Hamiltonian inversion landscape,” *Phys. Chem. Chem. Phys.* **16**:29 (23 June 2014) 15615-15622. (Published online 23 June 2014.) DOI: <https://dx.doi.org/10.1039/C4CP02209B>.

Donovan A. and Rabitz, H., “Investigating constrained quantum control through a kinematic-to-dynamic-variable transformation,” *Phys. Rev. A* **90**:1,

013408 (July 2014). (Published online 9 July 2014.) DOI:
<https://doi.org/10.1103/PhysRevA.90.013408>.

Donovan, A. and Rabitz, H., “Systematically altering the apparent topology of constrained quantum control landscapes,” *J. Math. Chem.* **53**:2 (February 2015) 718-736. (Published online 24 December 2014.) DOI:
<https://doi.org/10.1007/s10910-014-0453-7>.

Ferrario, L.; **Little, J.M.**; Choueiri, E.Y., “Propulsive performance of a finite-temperature plasma flow in a magnetic nozzle with applied azimuthal current,” *Phys. Plasmas* **21**:11, 113507 (November 2014). (Published online 17 November 2014.) DOI: <http://doi.org/10.1063/1.4901587>.

Gao, F.; Rey-de-Castro, R.; **Donovan, A.**; Xu, J.; Wang, Y.; Rabitz, H.; Shuang, F., “Pathway dynamics in the optimal quantum control of rubidium: Cooperation and competition,” *Phys. Rev. A* **89**:2, 023416 (February 2014). (Published online 13 February 2014.) DOI:
<https://doi.org/10.1103/PhysRevA.89.023416>.

Griswold, M.E.; Raites Y.; Fisch, N.J., “Cross-field plasma lens for focusing of the Hall thruster plume,” *Plasma Sources Sci. Technol.* **23**:4, 044005 (August 2014). (Published online 22 July 2014.) DOI:
<https://doi.org/10.1088/0963-0252/23/4/044005>.

Han, L.; He, Y.; Zhang, G., “Investigation of hot carrier stress-induced degradation on SOI high voltage devices,” *Acta Scientiarum Naturalium Universitatis Pekinensis* **50**:4 (20 July 2014) 632-636. (Language: Chinese.) DOI: <http://dx.doi.org/10.13209/j.0479-8023.2014.093>.

Hocker, D.; Brif, C.; Grace, M.D.; **Donovan, A.**; Ho, T.-S.; Tibbetts, K.M; Wu, R.; Rabitz, H., “Characterization of control noise effects in optimal quantum unitary dynamics,” *Phys. Rev. A* **90**:6, 062309 (December 2014). (Published online 2 December 2014.) DOI: <https://doi.org/10.1103/PhysRevA.90.062309>.

Hsu, L.-Y.; Wu, N.; Rabitz, H., “Gate control of the conduction mechanism transition from tunneling to thermally activated hopping,” *J. Phys. Chem. Lett.* **5**:11 (5 June 2014) 1831-1836. (Published online 9 May 2014.) DOI:
<https://doi.org/10.1021/jz5005818>.

Hsu, L.-Y.; Xie D.; Rabitz, H., “Light-driven electron transport through a molecular junction based on cross-conjugated systems,” *J. Chem. Phys.* **141**:12,

124703 (28 September 2014). (Published online 23 September 2014.) DOI: <http://dx.doi.org/10.1063/1.4895963>.

Limbach, C.M. and Miles, R.B., “Rayleigh and Thomson scattering diagnostics of laser air sparks: a testbed for tailoring laser plasmas,” 45th AIAA Plasmadynamics and Lasers Conference, paper AIAA 2014-2538 (16-20 June 2014; Atlanta, Georgia). DOI: <https://doi.org/10.2514/6.2014-2538>.

Limbach, C. and Miles, R., “Simultaneous temperature, density and velocity measurements in laser-generated plasmas by Rayleigh and filtered Rayleigh scattering,” 52nd AIAA Aerospace Sciences Meeting, paper AIAA 2014-0143 (13-17 June 2014; National Harbor, Maryland). DOI: <https://doi.org/10.2514/6.2014-0143>.

McGuire, S. and Miles, R., “Collision induced ultraviolet structure in nitrogen radar REMPI spectra,” *J. Chem. Phys.* **141**:24, 244301 (28 December 2014). (Published online 22 December 2014.) DOI: <http://dx.doi.org/10.1063/1.4904261>.

McGuire, S. and Miles, R.B., “Radar REMPI measurements of N₂ rotational temperature,” 45th AIAA Plasmadynamics and Lasers Conference, paper AIAA 2014-2114 (16-20 June 2014; Atlanta, Georgia). DOI: <https://doi.org/10.2514/6.2014-2114>.

Nanduri, A.; **Donovan, A.**; Ho, T.-S.; Rabitz, H., “Relation of quantum control mechanism to landscape structure,” *Phys. Rev. A* **90**:1, 013406 (July 2014). (Published online 9 July 2014.) DOI: <https://doi.org/10.1103/PhysRevA.90.013406>.

Nanduri, A.; Shir, O.; **Donovan, A.**; Ho, T.-S.; Rabitz, H., “Exploring the complexity of quantum control optimization trajectories,” *Phys. Chem. Chem. Phys.* **17**:1 (07 January 2015) 334-347. (Published online 7 November 2014.) DOI: <http://dx.doi.org/10.1039/C4CP03853C>.

Paskover, Y.; **Xie, D.**; Laforge, F.; Rabitz, H., “Selectively addressing optically nonlinear nanocrystals by polarization-shaped ultrafast laser pulses,” *J. Opt. Soc. Am. B* **31**:5 (1 May 2014) 1165-1173. DOI: <http://doi.org/10.1364/JOSAB.31.001165>.

Rieutort-Louis, W; Huang, L.; Hu, Y.; Sanz-Robinson, J.; Moy, T.; **Afsar, Y.**; Strum, J.C.; Verma, N.; Wagner, S., “Current gain of amorphous silicon thin-

film transistors above the cutoff frequency,” proceedings 72nd Annual Device Research Conference (22-25 June 2014; Santa Barbara, CA) 273-274. (Published online 7 August 2014.) DOI: <https://doi.org/10.1109/DRC.2014.6872403>.

Roslund J. and Rabitz, H., “Dynamic dimensionality identification for quantum control, *Phys. Rev. Lett.* **112**:14, 143001 (11 April 2014). (Published online 7 April. 2014.) DOI: <https://doi.org/10.1103/PhysRevLett.112.143001>.

Shir, O.; **Roslund, J.**; Whitley, D.; Rabitz, H., “Efficient retrieval of landscape Hessian: forced optimal covariance adaptive learning,” *Phys. Rev. E* **89**:6, 063306 (June 2014). (Published online 16 June 2014.) DOI: <https://doi.org/10.1103/PhysRevE.89.063306>.

Sun, Q.; Pelczer, I.; Riviello, G.; Wu, R.-B.; Rabitz, H., “Experimental exploration over a quantum control landscape through nuclear magnetic resonance,” *Phys. Rev. A* **89**:3, 033413 (March 2014). (Published online 12 March 2014.) DOI: <https://doi.org/10.1103/PhysRevA.89.033413>.

2015

Donovan, A. and Rabitz, H., “Systematically altering the apparent topology of constrained quantum control landscapes,” *J. Math. Chem.* **53**:2 (February 2015) 718-736. (Published online 24 December 2014.) DOI: <https://doi.org/10.1007/s10910-014-0453-7>.

Fletcher, L.B.; Lee, H.J.; Döppner, T.; Galtier, E.; Nagler, B.; Heimann, P.; Fortmann, C.; LePape, S.; Ma, T.; Millot, M.; Pak, A.; **Turnbull, D.**; Chapman, D.A.; Gericke, D.O.; Vorberger, J.; White, T.; Gregori, G.; Wei, M.; Barbrel, B.; Falcone, R.W.; Kao, C.-C.; Nuhn, H.; Welch, J.; Zastra, U.; Neumayer, P.; Hastings, J.B.; Glenzer, S.H., “Ultrabright X-ray laser scattering for dynamic warm dense matter physics,” *Nature Photonics* **9**:4 (31 March 2015) 274-279. (Published online 23 March 2015.) DOI: <http://dx.doi.org/10.1038/nphoton.2015.41>.

Edwards, M.R.; **Limbach, C.M.**; Miles, R.B.; Tropina, A.A., “Limitations on high-spatial-resolution measurements of turbulence using femtosecond laser tagging,” 53rd AIAA Aerospace Sciences Meeting, paper AIAA 2015-1219 (5-9 January 2015; Kissimmee, Florida). DOI: <https://doi.org/10.2514/6.2015-1219>.

Han, T.; Li, D.; Hersh, P.S.; Suckewer, S., “New intrastromal corneal reshaping procedure using high-intensity femtosecond laser pulses,” *J. Cataract. Refract. Surg.* **41**:6 (June 2015) 1137-1144. (Published online 19 June 2015.) DOI: <https://doi.org/10.1016/j.jcrs.2015.05.008>.

Limbach, C.M. and Miles, R.B., “Characterization of Dissociation and Gas Heating in Femtosecond Laser Plasma with Planar Rayleigh Scattering and Rayleigh Scattering Polarimetry,” 53rd AIAA Aerospace Sciences Meeting, paper AIAA 2015-0932 (5-9 January 2015; Kissimmee, Florida). DOI: <https://doi.org/10.2514/6.2015-0932>.

McGuire, S.; Dogariu, A.; Chng, T.L.; Miles, R.B., “Methods for enhancing radar REMPI sensitivity,” 53rd AIAA Aerospace Sciences Meeting, paper AIAA 2015-0933 (5-9 January 2015; Kissimmee, Florida). DOI: <https://doi.org/10.2514/6.2015-0933>.

Mitrani J.M. and Shneider, M.N., “Time-resolved laser-induced incandescence from multiwalled carbon nanotubes in air,” *Appl. Phys. Lett.* **106**:4, 043102 (26 January 2015). (Published online 28 January 2015.) DOI: <http://doi.org/10.1063/1.4907000>.

Sun, Q.; Pelczer, I.; Riviello, G.; Wu, R.-B.; Rabitz, H. “Experimental observation of saddle points over the quantum control landscape of a two-spin system,” *Phys. Rev. A* **91**:4, 043412 (17 April 2015). (Published on line 17 April 2015.) DOI: <https://doi.org/10.1103/PhysRevA.91.043412>.

Turnbull, D.; Michel, P.; Ralph, J.E.; Divol, L.; Ross, J.S.; Berzak Hopkins, L.F.; Kritcher, A.L.; Hinkel, D.E.; Moody, J.D., “Multibeam seeded Brillouin sidescatter in inertial confinement fusion experiments,” *Phys. Rev. Lett.* **114**:12, 125001 (27 March 2015). (Published online 26 March 2015.) DOI: <https://doi.org/10.1103/PhysRevLett.114.125001>.

Visweswaran, B.; Mandlik, P.; Mohan, S.H.; Silvernail, J.A.; Ma, R.; Sturm, J.C.; Wagner, S., “Diffusion of Water into Permeation Barrier Layers,” *J. Vac. Sci. Technol. A* **33**:3, 031513 (May 2015). (Published online 22 April 2015.) <https://doi.org/10.1116/1.4918327>.

Ye, D.H.; Gauthier, E.; **Cheah, M.J.;** Benziger J.; Pan, M., “The effect of gas diffusion layer compression on gas bypass and water slug motion in parallel gas flow channels,” *AIChE J.* **61**:1 (January 2015) 355-367. (Published online 17 November 2014.) DOI: <https://doi.org/10.1002/aic.14686>.

2016

Goun, A.; Bondar, D.I.; Er, A.O.; **Quine, Z.**; Rabitz, H., “Photonic reagents for concentration measurement of flu-orescent proteins with overlapping spectra,” Scientific Reports **6**, 25827 (16 May 2016). DOI: <https://doi.org/10.1038/srep25827>.

2017

Chen, Q.; Wu, Z.; Johnson, L.; Gordon, D.; Sprangle, P.; Suckewer, S., “Pulse splitting of stimulated Raman backscattering with a chirped pump,” Phys. Plasmas **24**:12, 123113 (December 2017). (Published online 20 December 2017.) DOI: <https://doi.org/10.1063/1.5009553>.

2018

Evans, E.S.; Cohen, S.A.; Welch, D.R., “Particle-in-cell studies of fast-ion slowing-down rates in cool tenuous magnetize plasmas,” Phys. Plasmas **24**:4, 042105 (April 2018). (Published online 5 April 2018.) DOI: <https://doi.org/10.1063/1.5022188>.

Jandovitz, P.; Swanson, C.; Matteucci, J.; Oliver, R.; Percy, J.; Cohen, S.A., “Demonstration of fast-electron populations in a low-pressure, low-power magnetized RF plasma source,” Phys. Plasmas **25**:3, 030702 (March 2018). (Published online 27 March 2018.) DOI: <https://doi.org/10.1063/1.4998735>.

Powis, A.T. and Shneider, M.N., “Particle-in-cell modeling of laser Thomson scattering in low-density plasmas at elevated laser intensities, Phys. Plasmas **25**:5, 053513 (May 2018). (Published online 16 May 2018.) DOI: <https://doi.org/10.1063/1.5029820>.

Swanson, C.; Jandovitz, P.; Cohen, S.A., “Using Poisson-regularized inversion of Bremsstrahlung emission to extract full electron energy distribution functions from x-ray pulse-height detector data,” AIP Advances **8**:2, 025222 (February 2018). (Published online 27 February 2018.) DOI: <https://doi.org/10.1063/1.5019572>.

Wu, Z.; **Chen, Q.**; Morozov, A.; Suckewer, S., “Simulation of double-pass stimulated Raman backscattering,” *Phys. Plasmas* **25**:4, 043108 (April 2018). (Published online 13 April 2018.) DOI: <https://doi.org/10.1063/1.5026111>.